## Wobenzym<sup>®</sup> N A Dietary Supplement

Suggested Usage: Take three (3) tablets, two (2) times daily, at least 45 minutes before meals or as recommended by your healthcare professional.

†This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any

Warning: If you are pregnant or breast feeding. suffer from bleeding disorders or liver damage, or if you are taking anticoagulants drugs (such as warfarin), consult a healthcare professional before using this product.

Store in a cool dry place.

KEEP OUT OF REACH OF CHILDREN DO NOT USE IF SEAL IS MISSING OR BROKEN 100 Tablets Enteric-Coated



MUCOS Pharma GmbH & Co. KG, Made in Berlin, Germany,

DOUGLAS Douglas Laboratories®,

Distributed by: 1-800-245-4440 www.douglaslabs.com



Wobenzym®N is backed by decades of clinical reseach

Supplement Facts

Serving Size 3 Tablets • Servings per Container 33

%DV	
300 mg	*
180 mg	٠
135 mg	*
72 mg	٠
3 mg	٠
	300 mg 180 mg 135 mg 72 mg

Rutoside trihydrate\*\* (Rutin) Sophora japonica 150 mg \*

\*Daily Value not established.

\*\*From dried purified aqueous extracts.

\*\*\*FIP is the measurement of enzyme activity according to the methods of the International Pharmaceutical Federation.

Other ingredients: cellulose, vegetable-based enteric coating, vegetable stearate, natural vanilla flavor, purified water This product does not contain yeast, gluten, soy, milk/dairy, sodium, sugar, artificial coloring or preservatives.

Formula #200525-100

sodium, sugar, artificial coloring or preservatives.