

WATERMELON

PRE-WORKOUT W/MPF

EXPLOSIVE WORKOUTS

CONTAINS CREATINE NITRATE* HIGHLY EXPLOSIVE ENERGY* NO3 PUMP TECHNOLOGY* **RAPID ABSORPTION SYSTEM***





DIETARY SUPPLEMENT | Net. Wt. 171a



Supplement Facts

Serving Size: 1 scoop (5.7g) Servings Per Container: 30

| | Amount Per Serving | 76 DV |
|-------------------------|--------------------|-------|
| alories | 5 | |
| otal Carbohydrates | 1g | <1%** |
| itamin C | 250mg | 417% |
| alcium | 28mg | 3% |
| liacin (as Niacinamide) | 30mg | 150% |
| olic Acid | 250mcg | 62% |
| itamin B12 | 35mcg | 588% |
| eta Alanine | 1500mg | T T |
| reatine Nitrate | 1000mg | - 1 |
| rginine AKG | 1000mg | T |
| xplosive Energy Blend | 741mg | Ŧ |
| | | |

Vitamin C (as Ascorbic Acid), N-Acetyl-L-Tyrosine, Caffeine Anhydrous (135mg), Mucuna pruriens (Standardized for L-Dopa), Bitter orange (Citrus aurantium) (fruit) (30% Synephrine) (Advantra Z®), Niacinamide, Folate (as Folic Acid), Pyridoxal 5-Phosphate, Vitamin B12 (as Methylcobalamin)

Percent Daily Values (% DV) are based on a 2,000 calorie die

Other Ingredients: Artificial Flavors, Citric Acid, Malic Acid, Silicon Dioxide, Calciu Silicate, Sucralose, Acesulfame Potassium (Ace-K), FD&C Red Lake, #40. Advantra Z® is a registered trademark of Nutratech Inc. under U.S. patents 6.224.873: 6.316.499: 6.340.481: 6.340.482

DO NOT EXCEED RECOMMENDED DAILY INTAKE. USE ONLY AS DIRECTED. Directed Use on Training Days: To determine tolerance, begin by taking one serving (1 scoop) mixed with 14-6 pz.) of water 22-30 minutes before training. After personal tolerance has been assessed, take one to two servings (1-2). tolerance has been assessed, take one to livib servings (1-2 scoops) 20-30 militates before training begins, Add (4-62) of water for each serving. During your workout, it is recommended that you official water Moreach and a commended that you drink pierty of water. Moreach are and humdity can cause clumping and discoloration, STORE IM A COLO. DAY PLACE. IMPORTANT DISCOURTE. This product may contain legal delary ingredients litat are prohibited by Sports and/or cause a false positive for barned or prohibited substances (PS). Due to the unique restrictions of amateur and professional sports organizations, the Armed Forces, law enforcement and other agencies and employers, as well as the possibility of legal delary ingredients causing a faise positive for PS, do not take this product for our each professional contribution of the organization, entity, agency or governing boot phat requires the testing.

*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.



governing body that requires the testing

but its later by our confirms and in a retaining medication such as PDE-5 inhibitors. This product is only intended to be consumed by healthy adults 18 years of age or older. Before using this product consult with your physician if you are pregnant or nursing, or if you are using any prescription or over the counter medication or if you have any pre-existing medical condition including but not limited to: high or low blood pressure, cardiac arrhythmia, stroke, heart, liver, kidney or thyroid disease, psychiatric or epileptic disorders, diabetes, recurrent ulylou osease, psychianic o epipepic savores, uderes yeuchen, headaches, entiged orostac, efficially unnating, glaucoma, or Hyou are taking a MAOI (Monoamine Oxidase Inhibitor), antidepressants, aspirin, norsteroidal arti-inflammatory drugs or products containing prieryleprine, epipedinie, pseudoepipedine or any other medication. Contains caffeine Do notuse in combination with synephrine, caffeine or any stimulants from other sources whatsoever inclu limited to, coffee, tea, soda and other dietary supplements o medications containing phenylephrine or caffeine. Discontinue use and consult your health care professional 2 weeks prior to surgery, or if you experience rapid heartbeat, dizziness, severe headache, In you experience and metal used. Use a reaction to this product. Do not combine with alcohol. Do not exceed recommended serving. Do not use if safety seal is broken or missing. Do not use for more than 8 weeks. KEEP OUT OF REACH OF CHILDREN.



Supplement Facts

Serving Size: 1 scoop (5.7g) Servings Per Container: 30

| | Amount Per Serving | % DV |
|--|---------------------------|---------------|
| Calories | 5 | |
| Total Carbohydrates | 1g | <1%** |
| Vitamin C | 250mg | 417% |
| Calcium | 28mg | 3% |
| Niacin (as Niacinamide) | 30mg | 150% |
| Folic Acid | 250mcg | 62% |
| Vitamin B12 | 35mcg | 588% |
| Beta Alanine | 1500mg | † |
| Creatine Nitrate | 1000mg | † |
| Arginine AKG | 1000mg | † |
| Explosive Energy Blend | 741mg | t |
| 10 A C. A. A. A. A. A. A. A. A. C. B. A | | STOCKS STOCKS |

Vitamin C (as Ascorbic Acid), N-Acetyl-L-Tyrosine, Caffeine Anhydrous (135mg). Mucuna pruriens (Standardized for L-Dopa), Bitter orange (Citrus aurantium)(fruit)(30% Synephrine)(Advantra Z®), Niacinamide, Folate (as Folic Acid), Pyridoxal 5-Phosphate, Vitamin B12 (as Methylcobalamin)

**Percent Daily Values (% DV) are based on a 2,000 calorie diet + Daily Value not established.

Other Ingredients: Artificial Flavors, Citric Acid, Malic Acid, Silicon Dioxide, Calcium Silicate, Sucralose, Acesulfame Potassium (Ace-K), FD&C Red Lake #40. Advantra Z® is a registered trademark of Nutratech Inc. under U.S. patents 6.224,873; 6.316,499; 6.340,481; 6.340,482

SUGGESTED USE:

DO NOT EXCEED RECOMMENDED DAILY INTAKE, USE ONLY AS DIRECTED. Directed Use on Training Days: To determine tolerance, begin by taking one serving (1 scoop) mixed with (4-6 oz.) of water 20-30 minutes before training. After persona tolerance has been assessed, take one to two servings (1-2 scoops) 20-30 minutes before training begins. Add (4-6 oz.) of water for each serving. During your workout, it is recommended that you drink plenty of water. Moisture and humidity can cause clumping and discoloration. STORE IN A COOL DRY PLACE.

IMPORTANT DISCLOSURE: This product may contain legal dietary ingredients that are prohibited by Sports and/or cause a false positive for banned or prohibited substances ("PS"). Due to the unique restrictions of amateur and professional sports organizations, the Armed Forces, law enforcement and other agencies and employers, as well as the possibility of legal dietary ingredients causing a false positive for PS, do not take this product if you are subject to PS testing without the approval and/or authorization of the organization, entity, agency or governing body that requires the testing.

*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.



715 N. Main Street Brvan, TX 77803 USA www.cellucor.com Product Questions Call: 1.866.927.9686

WARNING:

Do not take if you are currently taking nitrates for chest pain or if you are taking medication used to freat erectile dysfunction such as PDE-5 inhibitors. This product is only intended to be consumed by healthy adults 18 years of age or older. Before using this product consult with your physician if you are pregnant or nursing, or if you are using any prescription or over the counter medication of if you have any pre-existing medical condition including but not limited to: high or low blood pressure, cardiac arrhythmia, stroke, heart, liver, kidney or thyroid disease, psychiatric or epileptic disorders, diabetes, recurrent headaches, enlarged prostate, difficulty urinating, glaucoma, or if you are taking a MAOI (Monoamine Oxidase Inhibitor), antidepressants, aspirin, nonsteroidal anti-inflammatory drugs or products containing phenylephrine, ephedrine, pseudoephedrine, or any other medication. Contains caffeine. Do not use in combination with synephrine, caffeine or any stimulants from other sources whatsoever including but not limited to, coffee, tea, soda and other dietary supplements or medications containing phenylephrine or caffeine. Discontinue use and consult your health care professional 2 weeks prior to surgery, or if you experience rapid heartbeat, dizziness, severe headache, shortness of breath or any other adverse reaction to this product. Do not combine with alcohol. Do not exceed recommended serving. Do not use if safety seal is broken or missing. Do not use for more than 8 weeks. KEEP OUT OF REACH OF CHILDREN

