SUPPLEMENT FACTS Serving Size 1/2 Bottle (4 FL 0Z [120 mL]) Servings Per Container 2		
		%Daily Value
Calories	0	
Sodium	10 mg	0%*
Electrolyte Matrix		
Calcium (as Calcium Chloride)	2 mg	0%
Magnesium (as Magnesium Chloride)	2.5 mg	1%
Potassium (as Potassium Citrate Monohyd	trate) 26 mg	1%
Proprietary Blend	732 mg	
Beta-Alanine		***
Caffeine Anhydrous	158 mg	**
B-Phenylethylamine HCI		
L-Leucine		
L-Voline		

L-Isoleucine N-Acetyl-L-Tyrosine Toothed Clubmoss (Huperzia serrata)(leaves)(std. 1% huper Yohimbe (Coryanthe yohimb) N-methyl Tyramine Yerba Mate Extract (Nex Paraguarion Evodia (Evodiae Fructus)(fruit)[std. to evo Sulbutiamine Vinpocetine

It a significant source of vitamin A, vitamin C, calc rcent Daily Values are based on a 2,000 calorie diet. ally Value not established.

Other ingredients: highly purified water, citric acid anhydrous natural and artificial flavors, Sucralean® brand sucralose, sodium benzoate (preserves freshness), potassium phosphate dibasic. potassium sorbate (preserves freshness), sodium chloride, and calcium disodium EDTA

ARTIFICIALLY FLAVORED

RECOMMENDED USE: Shake well. Always begin use with one-quarter bottle (2 Ounces) of REDLINE® daily to assess tolerance. Never exceed more than 4 ounces per serving or more than one bottle daily. Use the gauge on the bottle to find your ideal dose

Allergen Warming: Manufactured in a facility that processes soy

WARNING: NOT FOR USE BY INDIVIDUALS UNDER THE AGE OF 18 YEARS, DO NOT USE IF PREGNANT OR NURSING OR CONTEMPLATING BECOMING PREGNANT. Do not use if you have high blood pressure or heart problems. Consult a physician or licensed qualified health care professional before using this product if you have, or have a family history of heart disease, thyroid disease, diabetes, high blood pressure, depression or other psychiatric condition, glaucoma, difficulty in urinating, prostate enlargement, or seizure disorder, or if you are using a monoamine oxidase inhibitor (MAOI) or any other dietary supplement, prescription drug, including but not limited to anti-depressants or birth control pills, or over-the-counter drug containing ephedrine, pseudoephedrine, or phenylpropanolamine (ingredients found in certain allergy, asthma, cough or cold, and weight control products). Use only as directed. Do not exceed recommended serving. Exceeding recommended serving may cause adverse health effects. Discontinue use two weeks prior to surgery. Discontinue use and call a physician or licensed qualified health care professional immediately if you experience rapid heartheat, dizziness, severe headache, shortness of breath, or other similar symptoms. Individuals who are sensitive to the effects of caffeine or have a medical condition should consult a licensed health care professional before consuming this product. Do not use this product if you are more than 15 pounds over weight. The consumer assumes total liability if this product is used in a manner inconsistent with label guidelines. Do not use for weight reduction. Too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally rapid heartbeat. Not recommended for use by children under 18 years of age. One serving of REDLINE XTREME® provides 158 mg of caffeine which is less than two cups of coffee. KEEP OUT OF REACH OF CHILDREN.



normal reaction to Redline Xtreme is tingling of skin, edline Xtreme contains no Niacin.

©2011 VITAL PHARMACEUTICALS, INC. ALL RIGHTS RESERVED To report a serious adverse event or tain product information, contact th Park Drive, Weston, FL 33326 USA = (954) 641-0570

REDLINERUSH.COM

TWhen combined with resistance training and a low calorie diet. Use only as a dietary supplement.

**REF. Examination of a Pre-exercise, High Energy Supplement on Exercise Performance. Jay R. Hoffman et. al. JISSN 2009, 6:2 (6 January 2009).

†These statements have not been evaluated by the FDA. This product is not intended to diagnose, treat, cure or prevent any disease.



V001