

ACTUAL
SIZE



CODE 1730

V6

Store in a cool, dry place. Please Recycle.

Do Not Eat Freshness Packet. Keep in Bottle.

Manufactured by NOW FOODS, 395 S. Glen Eilyn Rd.
Bloomington, IL 60108 Made in the U.S.A. www.nowfoods.com

*This statement has not been evaluated by the FDA. This product is not intended to diagnose, treat, cure or prevent any disease.

PCB's, dioxins, and other contaminants).

of potentially harmful levels of contaminants (i.e. mercury, heavy metals, Vitamins A and D-3. It also contains Omega-3 Fatty Acids, specifically EPA (Eicosapentaenoic Acid) and DHA (Docosahexaenoic Acid), which have been shown to support overall health. Our Cod Liver Oil is tested to be free

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supportive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.

Supporive but not conclusive research shows that consumption of EPA

and DHA omega-3 fatty acids may reduce the risk of coronary heart disease.



Cod Liver Oil

CARDIOVASCULAR SUPPORT*

425 mg

- Vitamins A & D-3
- With EPA/DHA

100 Softgels

A Dietary Supplement



Supplement Facts

Serving Size 1 Softgel

	Amount Per Serving	% Daily Value
Vitamin A (from Cod Liver Oil and Retinyl Palmitate)	1250 IU	25%
Vitamin D3 (from Cod Liver Oil and Cholecalciferol)	135 IU	34%
Cod Liver Oil	425 mg	†

* Percent Daily Values are based on a 2,000 calorie diet.
† Daily Value not established.

Typical Profile of naturally occurring amounts of Omega-3 fatty acids (per serving)**

Eicosapentaenoic Acid (EPA)	30 mg
Docosahexaenoic Acid (DHA)	40 mg

** per ingredient nutritional profile

Other ingredients: Softgel Capsule (gelatin, glycerin, water).
Contains fish (cod) derivative. Contains no sugar, salt, starch, yeast, wheat, gluten, corn, soy, milk, egg, shellfish or preservatives.