

\*Diets low in saturated fat and cholesterol that include 7 grams of soluble fiber per day from considering use of this product as part of a cholesterol-lowering program.

When used as a daily fiber supplement: Supplement Facts Serving Size 2 rounded Tbsp (24 g) 1 rounded Tbsp (12 g) Servings Per Container About 24 Amount Per Serving % DV\* Dietary Fiber 24%\* Sugars 0.7 mg Percent Daily Values (%DV) are based on a 2,000 calorie diet. INGREDIENTS: Sucrose, psyllium husk, citric acid, natural and artificial orange flavor, Yellow 6 DIST, BY PROCTER & GAMBLE, CINCINNATI OH 45202

Important Information: . store at room temperature tightly closed to protect from humidity · keen out of reach of children

DO NOT USE IF PRINTED INNER SEAL IS BROKEN

Directions Put powder into an

empty plass and mix with 8 oz of water or other cool liquid. Stir.

New Users: Start with 1 serving per

experience changes in bowel habits

day: gradually increase to desired

daily intake. You may initially

or minor bloating, as your body

adjusts to increased fiber intake.

Bulk-forming fibers like psyllium

2 hours before or after medicines.

husk may affect how well medicines work. Take this product at least

briskly and drink promptly. Take up to 3 times daily.

OR MISSING.

NOTICE: Mix this product with at least 8 oz (a full plass) of liquid. Taking without enough liquid may cause choking. Do not take if you have difficulty swallowing. Allergy alert: This product may cause allergic reaction in people sensitive to inhaled or indested disvilium. Contact your doctor BEFORE USING this dietary supplement if you have recently experienced a sudden change in bowel habits persisting for 2 weeks, abdominal pain, nausea or vomiting. STOP USING this dietary supplement and ask a doctor if constination lasts more than 7 days or rectal



Adults 12 yrs, and over: One rounded Tablespoon in 8 ounces of liquid up to 3 times daily for fiber supplementation and to help promote and maintain regularity. For children under 12. consult a doctor.



Adults 12 yrs, and over: One rounded

Tablespoon in 8 ounces of liquid, 3 times daily

osallium busk, as in Metamucil, may reduce the

One serving of Metamucil has 2.4 grams of this

soluble fiber. Consult a doctor if you are

\*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

Ouestions? 1800-983-4237

www.metaweliness.com Patents: www.pg.com/patents 96369850