

USAGE: As a dietary supplement, take 2 capsules daily with water.

PRECAUTIONS: Use only as directed. Consult a physician before using this product if you are pregnant or nursing, have a serious medical condition, or if you are taking aspirin or other medication. Discontinue use two weeks prior to surgery or if upset stomach occurs.

Supplement Facts

Serving Size: 2 Capsules
Servings Per Container: 30

Amount Per Serving		%DV
Vitamin C (as ascorbic acid)	60 mg	100%
Vitamin D3 (as cholecalciferol)	1,600 IU	400%
UC-II® Type II Collagen (providing 10mg undenatured type II collagen)	40 mg	†
MSM (methylsulfonylmethane)	500 mg	†
Hyaluronic Acid	5 mg	†
TFXflex™ Proprietary Blend	588 mg	†
White Willow Bark Extract 15% salicin (Salix alba), Boswellia Resin Extract 65% boswellic acid (Boswellia serrata), Ginger Root Extract 4:1 (Zingiber officinale), Green Tea Leaf Extract 45% EGCG (Camellia sinensis), Ipriflavone (7-isopropoxy isoflavone), Cayenne Pepper 40m H.U. (Capsicum annuum), L-Arginine Alphaketoglutarate (A-AKG), Turmeric Root Extract 95% curcumin (Curcuma longa)		

† Daily Value (DV) Not Established

Other Ingredients: Gelatin, Rice Flour, Magnesium Stearate, Silicon Dioxide, Titanium Dioxide

This product does not contain milk, eggs, tree nuts, peanuts, fish, shellfish, soy, or wheat.



TFXflex



1-888-480-0044 TFXhealth.com



¹Clinical Data on File. UC-II® is a trademark of InterHealth N.I. (U.S. Patents 5,645,851; 5,637,321; 5,529,786; 5,750,144; 7,083,820; 7,846,487, EPO Patent EP1435906B1 and worldwide patents pending)

*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.



PROVEN IN CLINICAL STUDIES TO BE
2X MORE EFFECTIVE¹
THAN GLUCOSAMINE & CHONDROITIN

In a randomized, double-blind, clinical study 40 mg of UC-II® was more than two-times as effective as 1,500 mg of glucosamine + 1,200 mg of chondroitin in supporting joint health, comfort and flexibility.

UC-II® outperformed the glucosamine/chondroitin combination using three different assessment tools: WOMAC, VAS, and Lequesne functional index.

UC-II® was also shown to improve quality of life.

UC-II® significantly decreased pain during daily activities, including walking on a flat surface, performing heavy domestic duties, ascending stairs and while resting in bed.

UC-II® was shown to be safe and well tolerated with no known side effects.

UC-II® has been shown in clinical studies to be more than twice as effective as Glucosamine & Chondroitin in supporting joint health.¹

Source: Crowley et al. Int J Medical Sciences, 2009

TFXflex

PROVEN IN CLINICAL STUDIES TO BE
2X MORE EFFECTIVE¹
THAN GLUCOSAMINE & CHONDROITIN

TFXflex™

Bone & Joint
Support[†]

Comfort
Flexibility
Mobility



Dietary Supplement

60 Capsules

TFXflex

PROVEN IN CLINICAL STUDIES TO BE
2X MORE EFFECTIVE¹
THAN GLUCOSAMINE & CHONDROITIN