

Exp. Date:

Lot No.:

Rev. 04/16 128R

No Varnish
Area

DIRECTIONS: One tablet daily or as directed by a physician. For children under 12, consult a physician before using this product.

Do not exceed recommended dosage.

Do not use except under the advice and supervision of a physician.

Occasional gastrointestinal discomfort (such as nausea) may be minimized by taking iron with meals. Iron-containing products may occasionally cause constipation or diarrhea. If pregnant or nursing, consult a physician before using this product.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

DRUG INTERACTION PRECAUTION: Iron may interfere with absorption of certain antibiotics; these products should not be taken within two hours of each other.

Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

†Reliable-1 Laboratories LLC is not affiliated with the owner of the trademark Feosol® Original.

Compare to the Iron in Feosol® Original.†



Reliable-1™
LABORATORIES

Ferrous Sulfate 325 mg IRON SUPPLEMENT

Each tablet provides 65 mg of elemental
iron from 325 mg of ferrous sulfate

100 FILM-COATED TABLETS

Supplement Facts

Serving Size 1 Tablet

Amount per tablet	% Daily Value	
Calcium	16 mg	< 2%
Iron (as ferrous sulfate)	65 mg	360%

OTHER INGREDIENTS: microcrystalline cellulose, dibasic calcium phosphate dihydrate, croscarmellose sodium, sodium starch glycolate, hypromellose, stearic acid, polyethylene glycol (PEG) 400, magnesium stearate, riboflavin, FD&C blue #1 aluminum lake, titanium dioxide, FD&C blue #2 aluminum lake, polyethylene glycol (PEG) 8000, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, carnauba wax

Distributed by: **Reliable-1 Laboratories LLC**
Valley Stream, NY 11580

(516) 341-0666 www.reliable1labs.com

