KEEP OUT OF REACH OF CHILDREN Keep in a cool, dry place.

DISTRIBUTED BY: RITE AID 30 HUNTER LANE CAMP HILL, PA 17011

IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR MONEY.



MULTI-VITAMIN SUPPLEMENT One Dail Women's with Vitamin D-3

Potency verified by NMI procedure #5015. Conforms to USP <2091> for weight. Meets USP <2040> disintegration.

## Supplement Facts

Serving Size One (1) Tablet

Each Tablet Contains		% Daily V
Vitamin A (20% as beta-Carotene, 80% as Acetate)	2500 IU	
Vitamin C (as Ascorbic Acid)	60 ma	1
Vitamin U-3 (as Cholecalciferol)	111 nos	
	- 25 mca	J. Land
	1.5 mg	10
Riboflavin (Vitamin B-2)		
Macili (8S Niacinamida)	· 10 m/l	
Vitamin B-6 (as Pyridoxine Hydrochloride)	2 mg	100
Folic Acid Hydrochloride)	2 mg 400 mcg 6 mcg	100
Vitamin B-12 (as Cyanocobalamin)	6 mcg	100
Biotin (as Cyanocobalamin)		
Pantothenic Acid (as Calcium d-Pantothenate)	5 mg	90
Calcium (as Calcium d-Pantothenate)		100
Iron (as Ferrous Fumarate)  Magnesium (as Magnesium Ovide)	18 mg	131
Magnesium (as Magnesium Oxide) Zinc (as Zinc Oxide)	50 mg	1/07
Zinc (as Zinc Oxide)	15 mg	29%
	20 mcg	1007
Copper (as Cupric Sulfate)  Manganese (as Manganes Sulfate)	2 mg 2 mg	100%
Manganese (as Manganee Sulfate) Chromium (as Chromium Chicomium (as Chromium Chicomium	+ 2 mg + 120 mcg	100%
Chromium (as Chromium Chloride)	120 mcg	

OTHER INGREDIENTS: Cellulose, Croscarmellose Sodium, Maltodextrio, Polyetin/and Color Gipcol, Stearic Acid, Magne-ium Stearate, Silicon Dioxide, Trialmum Dioxide, Magne-ium Stearate, Silicon Dioxide, Silicon Stearate, Silico Nearic Acid, Magnesium Stearate, Silicon Dioxide, Titanium Dioxide, Polycyellow #6 Lake), Vegetable Acetoglycerides, Polysorbate 80, Camauba Was SUCCESTED USE: As a dietary supplement, adults take one (1) tablet daily.

WARRING: Acoustic Camauba Washing Camauba Washing

Wildlight: Accidental overdose of iron-containing products is a leading cause of stal positive and a codental overdose of iron-containing products is a leading cause of stal positive call if Outen under six. Keep this product out of reach of children. In case of accidental overdose of iron-containing products is a leading cause of fall positive position to center inner. or poson control center immediately.