

FOS

Fructooligosaccharides (FOS) are short-chain polymers comprised of D-fructose and D-glucose. They are not metabolized or absorbed by the body like simple sugars, and have minimal caloric value.

Suggested Use

As a dietary supplement, 1/2 to 1 level teaspoon (1.25-2.5 grams) mixed in water if desired, two to four times daily between meals, or as directed by a healthcare practitioner.

CAUTION: Some individuals taking FOS may experience gastrointestinal bloating that persists longer than 1-2 weeks, possibly due to unfriendly microbes feeding on FOS. In such cases, this product should be discontinued.



FOS

Fructooligosaccharides

Hypoallergenic

Dietary Supplement

100 grams (3.5 oz.)

Supplement Facts

Serving Size 1/2 Teaspoon (approx. 1.25 g)
Servings Per Container 40

Amount Per Serving	% Daily Value*	
Total Carbohydrates	2.5 g	< 1%
Fructooligosaccharides	2.5 g	†

* Percent Daily Values are based on a 2,000 calorie diet.
† Daily Value not established.

Keep in a cool, dry place, tightly capped.

NUTRAFLORA*

Formulated exclusively for NutriCology®

Alameda, CA 94502 www.nutricology.com Phone: 510.263.2000 Rev. 007