


MYO-X™ represents a major advancement in muscle building science. For decades researchers have been diligently looking for a way to inhibit the production of myostatin, a natural occurring regulatory protein responsible for limiting muscle growth in humans. Fueled by the widely held belief in scientific and medical communities that myostatin inhibition represents, by far, the most powerful strategy for promoting dramatic muscular gains, leading researchers in this field have been relentless in their efforts to isolate a viable myostatin inhibitor and make it available to athletes. Now it appears that their efforts have been rewarded.*

Carlton Colker, M.D. and a team of scientists from around the world have isolated and identified a natural, bio-active compound that is produced through a highly controlled, proprietary High Grade Handling process. This product contains approximately 80 major proteins, hundreds of minor peptides and a variety of growth factors. This patent pending compound, MyoT12®, functions as a modulator and inhibitor of myostatin activity and has been validated in a clinical study† to reduce serum myostatin levels an average of 46% among study subjects in just 12 to 18 hours with just a single serving. This is a very significant breakthrough for bodybuilders, athletes and even aging adults looking to increase muscle mass and strength. Myostatin is present in all of us and regardless of how hard you train, myostatin will limit your muscle building potential. Controlling the activity of myostatin is the key to counteracting the forces that have restricted your ability to build more muscle and will open the door to your new muscle building potential. Under exclusive license, MHP's MYO-X™ has emerged as the single most powerful approach to extreme muscle enhancement for all athletes!*

CLINICAL STUDY REVEALS AMAZING 46% REDUCTIONS IN MYOSTATIN IN ONLY 12-18 HOURS†



MyoT12®, the active ingredient in MYO-X™, has been shown in a clinical study to reduce serum myostatin in study subjects by an average of 46% in 12-18 hours with just a single serving! 100% of all human clinical test subjects showed significant reductions in myostatin. The average serum myostatin declined to 12.6 pg/ml with every subject responding positively! This was a staggering average 46% drop in myostatin from baseline across all subjects! Finally, at the 24-30 hour time point with a mean value of 28.1pg/ml, the average myostatin level completely normalized.

100% of all human test subjects showed significant reductions in myostatin.



VANILLA

CLINICALLY TESTED

MYO-X

MYOSTATIN INHIBITOR

- Clinically shown to reduce myostatin in 100% of human test subjects by an average of 46% in only 12-18 hours†
- Proprietary High Grade Handling process to preserve bio-activity
- Contains 80 proteins, 700 peptides and bio-active growth factors

Dietary Supplement
10.6 oz. (300 grams)

POWERED BY
MyoT12®

Supplement Facts

Serving Size: 10 Grams (1 Scoop)
Servings Per Container: 30

	Amount Per Serving	%DV
Calories	55	
From Fat	25	
Total Fat	3 g	5%
Saturated Fat	1.5 g	8%
Trans Fat	0 g	
Cholesterol	125 mg	37%
Sodium	30 mg	1%
Total Carbohydrate	4 g	1%
Dietary Fiber	0 g	0%
Sugars	4 g	
Protein	2 g	

Vitamin A	45%	•	Vitamin C	0%
Calcium	0%	•	Iron	4%

MyoT12® Proprietary Bio-active 6,600 mg
Fecundated G. Gallus Domesticus yolk Isolate
(naturally optimized, High Grade ultra-refined isolate dry weight equivalent to 9,500mg isolate)

* Daily Value not established.

Other Ingredients: Fructose, dextrose, natural and artificial flavor.



Distributed by: Maximum Human Performance, LLC
21 Dwight Place, Fairfield, NJ 07004
www.MHPSTRONG.com • 1.888.783.8844

* These statements have not been evaluated by the Food & Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

MyoT12® is the registered trademark of MYOS Corporation used by permission.

† Colker C, Effect on Serum Myostatin Levels of High-Grade Handled Fertile Egg Yolk Powder. Journal of the American College of Nutrition, Volume 28, No.3, Abstract 47; October 2009.

Directions: As a dietary supplement, take one scoop of MYO-X™ daily. MYO-X™ tastes amazing and can be eaten as a dry powder or you can also prepare as a drink by mixing one scoop in approximately 6-8 ounces of cold water and consume immediately. For best consistency, mix in a blender for 20-30 seconds. NOTE: Due to the specialized delicate processing of this product, some clumping, even after blending is normal. Do not cook with this product or add to hot water.

Directions for Storage: To maintain product freshness, store in a cool dry place. You should always wash your hands before you remove the scoop for this product.

WARNINGS: Read and follow all label instructions prior to use. Do not use if pregnant or nursing. Not intended for persons under the age of 18. Consult with a physician before using this, or any other product, if you are taking medication or have any medical condition.

Allergen: This product contains egg products and/or its components.

- Keep out of reach of children.
- Store at 15°-30°C (59°-86°F).
- Protect from heat, light and moisture.
- Do not purchase if seal is broken.