Unit Dose **PRENATAL VITAMIN TABLETS Supplement Facts** Serving Size 1 Tablet Amount per Tablet Vitamin A (as Acetate and Beta Carotene) Vitamin C (as Ascorbic Acid) Vitamin D-3 (as Cholecalciferol) Vitamin E (as dl-Alpha Tocopheryl Acetate) Vitamin B-1 (as Thiamine Mononitrate) Vitamin B-2 (Riboflavin) Vitamin B-3 (as Niacinamide) Vitamin B-6 (as Pvridoxine HCl) Folic Acid Vitamin B-12 (as Cyanocobalamin) Calcium (as Calcium Carbonate and Calcium Sulfate)

Iron (as Ferrous Fumarate)

*% Daily Value for Pregnant and Lactating Women.

Zinc (as Zinc Oxide)

% Daily Value*

100 mg 167%

400 IU 100%

1.5 mg 88%

1.7 mg 85%

18 mg 90%

2.6 mg 104%

0.8 mg 100%

4 mcg 50%

263 mg 26%

27 mg 150%

25 mg 167%

11 IU 37%

4000 IU 50%

MAJOR® PHARMACEUTICALS



Unit Dose

PRENATAL VITAMIN

Dietary Supplement

TABLETS 100 TABLETS

excursions permitted to 15° - 30°C (59° - 86°F). ISee USP Controlled Room Temperature DO NOT USE IF RUSTER UNIT IS BROKEN Distributed by:

MAIOR® PHARMACEUTICALS 17177 N Laurel Park Drive, Suite 233

health care providers.

Livonia, MI 48152 Questions or Comments? (800) 616-2471

OTHER INGREDIENTS: Microcrystalline Cellulose Stearic Acid. Hypromellose, Croscarmellose Sodium, Gelatin, Acacia, Maltodextrin,

Titanium Dioxide, Talc, Triacetin, Starch, Magnesium Stearate, Dicalcium Phosphate, Mineral Oil, Sucrose, Silica, Sodium Ascorbate, Triglycerides, FD&C Red #40 Lake, FD&C Yellow #6 Lake, Tocopherols, Sodium Benzoate, Sorbic Acid, Tricalcium Phosphate, BHT and Ascorbyl Palmitate,

DIRECTIONS: Adults, take one (1) tablet daily, preferably with a meal. As

a reminder, discuss the supplements and medications you take with your

WARNING: If you are pregnant, nursing, taking any medications or planning any medical procedure, consult your doctor before use. Discontin-

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of

reach of children. In case of accidental overdose, call a doctor or Poison

FREE OF: Yeast, wheat, milk or milk derivatives, soy, artificial flavor, sodium

12025-04-17

This Unit Dose package is intended for Institutional Use Only.

ue use and consult your doctor if any adverse reactions occur.

Control Center immediately

(less than 5 mg per serving).

Store at 20° - 25°C (68° - 77°F);

Rev. 04/17 Re-Order No. 700840