NitroVarinMarin Marin Mari

{ LipoDyne[™] 100% Solution }

ADVANCED

LIQUID FAT BURNING*

NitroVarin

Novex Biotech.

DROPS




Active compound shown to influence the cellular dynamics of adipose (fat) cell metabolism:

Clinically shown to significantly decrease body fat by an average of 4.6% in a matter of weeks

DIETARY SUPPLEMENT

1 fl. oz. (30 ml)

Novex Biotech.



Keep out of reach of children.

Use only as directed.

Individual results may vary.

Use in conjunction with any sensible diet and weight loss program.

Do not purchase if seal is broken.

If you or your health care provider have any questions, please call: 1-800-898-5153.

International distribution is not authorized without prior written consent. Product resale allowed only through authorized representatives



*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

©2011 All Rights Reserved



DSG-072806-213

NitroVarin[™]

{ LipoDyne™ 100% Solution }

ADVANCED

LIQUID FAT BURNING*

DROPS



Active compound shown to influence the cellular dynamics of adipose (fat) cell metabolism:

Clinically shown to significantly decrease body fat by an average of $4_{-}6\%$ in a matter of weeks $^{-}$

DIFTARY SUPPLEMENT

1 fl. oz. (30 ml)

Novex Biotech.

Supplement Facts

Servings Per Container: about 30

	Amount Per Serving	% Daily Value‡
Niacin (as nicotinic acid)	45 mg	225%
Proprietary Blend Containing:	261 mg	
Cissus quadrangularis (aerial parts) Extract		t
Caffeine		t
D-Ribose		t
Green Tea (leaf) Extract		t

± Percent Daily Values are based on a 2.000 calorie diet. † Daily Value not established

Other Ingredients May Include: Water, Glycerin, Sorbitol, Sucralose, Natural and Artificial Flavors, Lactic Acid, Sorbic Acid, Sodium Benzoate, Xanthan Gum

This product is manufactured to be within all acceptable industry variances.

DIRECTIONS: Adults take one dropperful (1 mL) by mouth twice daily before meals. Do not exceed 2 servings per day. Shake well before use. Refrigerate after opening.

NOTE: Limit the use of caffeine-containing medications. foods or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness and occasionally, rapid heart beat. For additional information on this product, please call our experienced customer service representatives at: 1-800-898-5153.

Novex Biotech® LLC Salt Lake City, UT 841/6 1-800-898-5153

www.NovexBiotech.com

Manufactured in the U.S.A.

Nitro Varin^{*}

Novex Biotech.

Protect from heat, light, and moisture. Store at controlled room temperature: 15°-30°C/59°-86°F

††In a published, randomized, double-blind, placebo-controlled clinical study, 48 obese and overweight participants were divided into 2 groups, and were told to take either the active compound or a placebo before 2 main meals, with an 8-ounce glass of water. No major dietary changes nor exercise were suggested during the study. During the 10-week study, the group that took the active compound showed an average of 14.6% body fat lost and an average of 19.4 pounds lost without any major changes in diet or exercise. However, it is always advisable to engage in a sensible diet and exercise program