THE GASPARI DIFFERENCE

- + ENTERIC COATING INCREASES BIOAVAILABILITY AND LIMITS GASTRIC DISTRESS*
- + HIGHEST CONCENTRATION OF DHA AND EPA (70%) FROM 2,400mg OF FISH OIL*
- + 960mg EPA AND 720MG DHA PER SERVING

Gaspari's Omega 3 is made with enteric coated softgels, devised to pass through the stomach unaffected and dissolve in the intestinal tract. This ensures that the efficacy of the formula is fully realized, and that the benefits of the product are achieved.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

†THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

©2019 Gaspari Nutra, LLC. – All rights reserved. Made in the USA from domestic and international ingredients. OMEGA-3 is manufactured in Opa Locka, FL 33054 USA & is developed exclusively for Gaspari Nutrition® 1.732.364.3777 CASPARINI ITRITION COM



HIGH STRENGTH ENTERIC COATED FISH OIL

OMEGA-3

2400mg 40/30 EPA/DHA

30 SERVINGS

DIETARY SUPPLEMENT 60 Softgels (30 Servings)

WITH MEALS | PRE | DURING | POST | BETWEEN MEALS

Supplement Facts

Serving Size: 2 Softgels Servings Per Container: 30

	Amount Per Serving	% Daily Value*
Calories	35	
Calories from Fat	25	
Total Fat	3g	5%
Saturated Fat	1g	5%
Polyunsaturated Fat	1g	0%
Monounsaturated Fat	0.5g	0%
Cholesterol	25mg	8%
Carbohydrate	1g	<1%
Protein	<1g	0%
Fish Oil Concentrate	2,400	ng **
Omega-3 Eicosapentaenoic Acid (EPA)	960m	**
Omega-3 Docosahexaenoic Acid (DHA)	720m	**

*Percent Daily Values are based on a 2,000 calorie diet. **Daily Value not established.

OTHER INGREDIENTS: Gelatin, Glycerin, Water, Methacrylic Acid Copolymer & Tocopherols. Contains: Fish (Anchovy, Sardine & Mackerel)

SUGGESTED USE: As a dietary supplement, take 1 softgel two times daily with meal or as directed by the practitioner.

WARNING: THIS PRODUCT IS ONLY INTENDED TO BE CONSUMED BY HEALTHY INDIVIDUALS OVER THE AGE OF 18 YEARS. If you are prepanent or nursing, taking any medication or have any medical condition, consult your doctor before use. Discontinue use and consult your doctor if any adverse reactions occur.

KEEP OUT OF THE REACH OF CHILDREN. STORE IN A COOL, DRY PLACE.

TAMPER EVIDENT: DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING

