## WARNING: Use with CAUTION Due to EXTREME Potency

What you're holding is the meanest and most extreme female fat burner this planet has ever seen: LIPO-6 Black Hers. We went down to the laboratory and created the most vicious blend of fat-burning compounds imaginable. This outrageous formula is operating in a territory no other female fat burner has ever dared to go. LIPO-6 Black Hers is engineered to attack fat with a killer instinct. instantly destroying it on contact!

WARNING: NOT TO BE USED BY ANYONE UNDER THE AGE OF 21 OR THE UNDEDICATED AND/OR WEAK-HEARTED. IF YOU DO NOT WISH TO EXPERIENCE BEYOND EXTREME FAT-DESTROYING STIMULANTS, DO NOT USE THIS PRODUCT. Do not use if pregnant or nursing. Never exceed the recommended maximum dosage. Do not consume synephrine, caffeine or thyroid-boosting compounds from other sources, including but not limited to coffee, tea, soda and other dietary supplements or medications containing phenylephrine. caffeine or any stimulants whatsoever. This product contains caffeine. Do not use this product for longer than 8 weeks and make sure that usage is followed by a 4-week off-period. Consult your physician prior to use if you are taking medication, including but not limited to MAOI inhibitors, anti-depressants, aspirin, non-steroidal anti-inflammatory drugs or products containing phenylephrine, ephedrine, pseudoephedrine, phenylethylamine or other stimulants. Consult your physician prior to use if you have a medical condition, including but not limited to heart. liver, kidney or thyroid disease, psychiatric disorders, difficulty urinating, diabetes, high blood pressure, cardiac arrhythmia, recurrent headaches, enlarged prostate or glaucoma. May cause flushing and itching. Discontinue use 2 weeks prior to surgery. Immediately discontinue if you experience rapid heartbeat. dizziness, severe headaches or shortness of breath. Store out of sunlight in a cool, dry place. Do not use if outer safety seal is broken. KEEP OUT OF REACH OF CHILDREN.



Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

The statements on this label have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease. As individuals vary so may results from using this product. Do not refrigerate. Made in USA. This product contains ingredients of international and domestic originals.

Developed by and exclusively manufactured for: Nutrex Research, Inc. Oviedo. FL 32765 • Nutrex.com • 1-888-3NUTREX



**Beyond Extreme Female Fat Destroyer** 

Dietary Supplement 120 Black-Caps™

Supplement Facts Serving Size: 3 Black-Caps	Servin	gs Per Container: 40
Amount per serving		% Daily Value
Vitamin D (as Cholecalciferol)	100IU	25%
Folic Acid (as Folate)	100mcg	25%
Vitamin B12 (as Cyanocobalamine)	1.5mcg	25%
Calcium (as Calcium Carbonate)	250mg	25%
Iron (as Iron Amino Acid Chelate)	4.5mg	25%
Fat Oxidation Dual-Stimulator	225mcg	*
3,5 Diiodo-L-Thyronine		*
lodine (as Potassium Iodide)		50%
Maximum Strength Lower Body Fat Mobilizer	4.5mg	*
Yohimbine HCL		*
Yohimbe		*
Alpha-Yohimbine (as part of Yohimbe)		*
Instant Metabolic & Calorie Burning Activator	385mg	*
Caffeine Anhydrous		*
Beta-Phenylethylamine HCL		*
1,3 Dimethylamylamine HCL		*
Zingerone		*
Theobromine Anhydrous		*
Evodiamine 99.5%		*
Hordenine HCL		*:
1-Methyl Caffeine		*
* Daily Value not established.		

OTHER INGREDIENTS: Glycerin, Vegetable Cellulose, Purified Water, Polysorbate 80, Hypromellose Q.S.P., FD&C Blue 1, FD&C Red 40, FD&C Yellow 6. This product utilizes only natural vegetable capsules that are free of animal products.

RECOMMENDED USE: Due to the extreme potency of LIPO-6 Black Hers, all label guidelines must be strictly followed. To experience the full strength of LIPO-6 Black Hers, take 3 Black-Caps in the morning and an additional 3 Black-Caps in the afternoon. Do not take within 6 hours of sleep. NEVER EXCEED 6 BLACK-CAPS PER DAY.

For best results LIPO-6 Black Hers should not be taken with meals. Consume at least 30 minutes prior to a meal. LIPO-6 Black Hers has to be used in cycles – cycle length is 8 weeks followed by 4 weeks off.