**SUGGESTED USE:** 3 tablets taken 1 to 2 times daily, 30 minutes before breakfast with 8 ounces of water and / or 30 minutes before lunch or dinner with 8 ounces of water, or as directed by a healthcare professional.


CAUTION: Do not exceed recommended dose. Pregnant or nursing mothers, children under 18, and individuals with a known medical condition should consult a physician before using this or any dietary supplement. This product is manufactured and packaged in a facility which may also process milk, soy, wheat, egg, peanuts, tree nuts, fish and crustacean shellfish.

KEEP OUT OF THE REACH OF CHILDREN. DO NOT USE IF SAFETY SEAL IS DAMAGED OR MISSING.
STORE IN A COOL, DRY PLACE.

Manufactured for. BELDT Labs, Inc.

For questions or comments, please contact us at www.BELDT.com

Please Recycle.



## **Supplement Facts**

Servings Per Container:

Servings Per Container: 30

## Amount Per Serving

A-AKG (arginine alpha-ketoglutarate) 2985 mg \*
OKG (ornithine alpha-ketoglutarate) 75 mg \*
GKG (glutamine alpha-ketoglutarate) 75 mg \*
A-KIC (arginine ketoisocaproate) 15 mg \*

\*Daily Value not established.

Other ingredients: Calcium carbonate, vegetable stearic acid, microcrystalline cellulose, aqueous film coating (purified water, hydroxypropyl methylcellulose, vegetable glycerine), vegetable magnesium stearate, croscarmellose sodium and silicon dioxide.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

