

TriCare Prenatal™ CHEWABLE TABLET

18 Essential Vitamins and Minerals
Smoothly Dissolves in Mouth

Rx Only

NDC 67112-202-30

30 Tablets

QUICK DISSOLVE

TriCare Prenatal™ PrenatalChewables.com

Each white film coated tablet contains:

Vitamins	% of Daily Value	
Vitamin C (Ascorbic Acid)	30 mg	50%
Vitamin D3 (Cholecalciferol)	400 IU	100%
Vitamin E (d-alpha-tocopheryl acid succinate)	15 IU	50%
Vitamin B1 (Thiamine Mononitrate)	1.25 mg	83.5%
Vitamin B2 (Riboflavin)	.85 mg	50%
Vitamin B3 (Niacinamide)	10 mg	50%
Vitamin B6 (Pyridoxine HCl)	2.5 mg	125%
Folate (L-Methylfolate)	1 mg	250%
Vitamin B12 (Cyanocobalamin)	125 mcg	2083.5%
Biotin (D-Biotin)	150 mcg	50%
Vitamin B5 (D-Calcium Pantothenate)	5 mg	50%

Minerals	% of Daily Value	
Iron (Ferric Pyrophosphate)	4.5 mg	25%
Zinc (Zinc Citrate)	7 mg	46.5%
Selenium (Sodium Selenite)	32.5 mcg	46.5%
Copper (Copper Gluconate)	1 mg	50%
Manganese (Manganese Citrate)	1 mg	50%
Chromium (Chromium Chloride)	60 mcg	50%
Molybdenum (Sodium Molybdate)	37.5 mcg	50%

OTHER INGREDIENTS: Mannitol, Croscollon, Polyvinyl acetate, Fruit Punch flavor natural and artificial, Magnesium stearate, Sucralose, Polydione

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient.

PRECAUTIONS: Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

INDICATIONS AND USAGE: TriCare Prenatal™ Chewable Tablet is indicated to provide vitamin and mineral supplementation throughout pregnancy and during the postnatal period for both the lactating and non-lactating mother. It is also useful for improving nutritional status prior to conception.

CONTRAINDICATIONS: This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

NOTICE: Contact with moisture may produce surface discoloration or erosion of the tablet.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE: One (1) chewable tablet daily or as directed by a physician.

ADMINISTRATION: Chew tablet before swallowing. **DAILY DOSAGE SHOULD BE TAKEN AFTER EATING FOOD.**

HOW SUPPLIED: TriCare Prenatal™ Chewable Tablet is supplied in a child-resistant bottle of 30 white chewable tablets. Each tablet is embossed MP 201. (NDC 67112-202-30)

Store at controlled room temperature, 15°-30°C (59°-86°F).

TO REPORT a serious adverse event or obtain product information, call 877-803-8235.

KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.

Marketed by: Medecor Pharma, LLC, Baton Rouge, LA

Patent Pending
Rx Only



Lot:
Exp: