



PRENATAL PLUS

Blenheim Pharmacal, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Each Prenatal Plus tablet Contains:

- Vitamin A (Acetate and Beta Carotene)4000 I.U.
- Vitamin C (Ascorbic acid).....120 mg
- Vitamin D-3 (Cholecalciferol).....400 I.U.
- Vitamin E (dl- Alpha Tocopheryl Acetate).....22 mg
- Thiamine (Vitamin B-1 from Thiamine Mononitrate1.84 mg
- Riboflavin (Vitamin B-2).....3 mg
- Niacin(Niacinamide)..... 20 mg
- Vitamin B-6 (Pyridoxine HCl).....10 mg
- Folic Acid.....1 mg
- Vitamin B-12 (Cyanocobalamin).....12 mcg
- Calcium (Calcium Carbonate).....200 mg
- Iron (Ferrous Fumarate).....27 mg
- Zinc (Zinc Oxide).....25 mg
- Copper (Cupric Oxide)..... ..2 mg

Other ingredients: Ascorbyl Palmitate, Butylated Hydroxytoluene, Croscarmellose sodium, Dicalcium phosphate Dihydrate, DL-alpha-tocopherol, FD&C Blue # 2 lake, FD&C Red # 40, FD&C Red # 40 lake, FD&C yellow # 5, FD&C yellow # 6, FD&C yellow # 6 lake, Gelatin, Hypromellose, Magnesium stearate, Maltodextrin, Microcrystalline Cellulose, Polyethylene Glycol, Pregelatinized corn starch, Propylene Glycol, Silica, Sodium Ascorbate, Sodium Benzoate, Sorbic Acid, Starch, Stearic Acid, Sucrose, SUnflower Oil, Titanium dioxide, Triacetin, Triglycerides.

Indication

To provide Vitamin and Mineral supplementation throughout pregnancy and during the postnatal period for both the lactating and non lactating mother. It is also useful for improving nutritional status prior to conception

Dosage

As a dietary adjunct before, during and after pregnancy, take one tablet daily with a meal, or as directed by a physician.

Warning: Accidental overdose of iron containing products is a leading cause of fatal poisoning in children under age 6. Keep this product out of the reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

Precautions

Folic Acid may partially correct the hematological damage due to vitamin B12 deficiency of pernicious anemia, while the associated neurological damage progresses.

STORE AT CONTROLLED ROOM TEMPERATURE 15⁰ - 30⁰C (59⁰ - 86⁰F). AVOID EXCESS HEAT.

Prenatal Plus Vitamin and Mineral Tablet
NDC 65162-668-10: Plastic bottle containing 100 Tablets

Dispense in a well closed light-resistant container, with a child resistant container.