



## PRENATAL PLUS

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

### Prenatal Plus Vitamin and Mineral Tablet Multi-Vitamin Rx Only

#### DESCRIPTION

Each Tablet Contains:

#### VITAMINS: Amount per Tablet

Vitamin A (from Acetate and Beta Carotene) .....	4000 IU
Vitamin C (Ascorbic Acid) .....	120 mg
Vitamin D-3 (Cholecalciferol) .....	400 IU
Vitamin E (dl- Alpha Tocopheryl Acetate) .....	22 IU
Thiamine (Vitamin B-1) (from Thiamine Mononitrate) .....	1.84 mg
Riboflavin (Vitamin B-2) .....	3 mg
Niacin (as Niacinamide) .....	20 mg
Vitamin B-6 (Pyridoxine HCl) .....	10 mg
Folic Acid .....	1 mg
Vitamin B-12 (Cyanocobalamin) .....	12 mcg

#### MINERALS: Amount per Tablet

Calcium (as Calcium Carbonate) .....	200 mg
Iron (from Ferrous Fumarate) .....	27 mg
Zinc (from Zinc Oxide) .....	25 mg
Copper (from Cupric Oxide) .....	2 mg

croscarmellose sodium, FD&C Blue #2, FD&C Red #40, FD&C Yellow # 5, FD&C Yellow # 6, macrogol, magnesium stearate, microcrystalline cellulose, polyvinyl alcohol, silicon, starch, stearic acid, talc, titanium dioxide **Other ingredients :**

#### INDICATIONS AND USAGE

To provide Vitamin and Mineral supplementation throughout pregnancy and during the postnatal period for both the lactating and non-lactating mother. It is also useful for improving nutritional status prior to conception.

#### WARNINGS

**WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under age 6. Keep this product out of the reach of children. In case of accidental overdose, call a doctor or Poison Control Center immediately.**

#### PRECAUTIONS

Folic acid may partially correct the hematological damage due to Vitamin B12 deficiency of pernicious anemia, while the associated neurological damage progresses.

#### DOSAGE AND ADMINISTRATION

As a dietary adjunct before, during and after pregnancy, take one tablet daily with a meal, or as directed by a physician.

#### HOW SUPPLIED

NDC:68151-2640-1 in a PACKAGE of 1 TABLET, FILM COATEDS

#### Storage

**STORE AT CONTROLLED ROOM TEMPERATURE 15° to 30°C (59° to 86°F), AVOID EXCESS HEAT.**

**Dispense in a well closed light-resistant container, with a child resistant cap. KEEP THIS AND ALL MEDICATION OUT OF THE REACH OF CHILDREN. DO NOT USE IF INNER SAFETY SEAL IS BROKEN OR MISSING.**

Manufactured by: Colorado Springs, CO 80905  
**Nexgen Pharma**

Distributed by: Glasgow, KY 42141  
**Amneal Pharmaceuticals**

Rev. 09-2012

Revised: 4/2013

Carilion Materials Management