

Prenatal Vitamins Plus

Multi Strength Tablet

QTY: 30

ID #: N150 Expires:
NDC #: 70518-1849-00 Shape: Oval
LOT #: Ref #: 63044-0150-05
MFG: Nnodum Pharmaceuticals, Cincinnati, OH 45240
RX ONLY

Directions For Use: See Package Insert
Store at 20-25°C (68-77°F); excursions permitted to 15-30°C (59-86°F) [See USP]
Repackaged by:
RemedyRepack Inc., Indiana, PA 15701, 1-724-465-8762



PRENATAL VITAMINS PLUS

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Prenatal Vitamins Plus - 150

PRENATAL VITAMINS PLUS LOW IRON

Supplemental Facts		
Each tablet Contains:	Amount per Tablet	% Daily Value
Vitamin A (Acetate and Beta Carotene)	4000 I.U.	80%
Vitamin C (Ascorbic acid)	120 mg	200%
Vitamin D-3 (Cholecalciferol)	400 I.U.	100%
Vitamin E (dl-Alpha Tocopheryl Acetate)	22 mg	73%
Vitamin B-1 (Thiamine Mononitrate)	1.84 mg	123%
Vitamin B-2 (Riboflavin)	3 mg	176%
Niacin (Niacinamide)	20 mg	100%
Vitamin B-6 (Pyridoxine HCL)	10 mg	500%
Folic Acid	1 mg	200%
Vitamin B-12 (Cyanocobalamin)	12 mcg	200%
Calcium (from Calcium Carbonate)	200 mg	20%
Iron (Ferrous Fumarate)	27 mg	150%
Zinc (Zinc Oxide)	25 mg	167%
Copper (Cupric Oxide)	2 mg	100%

Other Ingredients:
Corn Starch, Dicalcium Phosphate, DL Alpha Tocopherol, FD&C: Blue #2 Lake, FD&C: Red #40 Lake, FD&C: Yellow #6 Lake, Gum Arabic, Hydroxypropyl Methylcellulose, Maltodextrin, Microcrystalline Cellulose, Modified food starch, Polyethylene Glycol (PEG), Polyvinyl Alcohol, Pregelatinized Starch, Silicon Dioxide, Sucrose, Talc, Titanium Dioxide.

Directions:
Before, during and after pregnancy, one tablet daily or as directed by physician.

Caution:
Folic Acid may partially correct the hematological damage due to Vitamin B-12 deficiency or pernicious anemia while the associated neurological damage progresses.

Warning:
Accidental overdose of iron-containing products is a leading cause of fetal poisoning in children under six.

KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.
In case of acciential overdose, call a physician or Poison Control Center immediately.

Indications:
To promote vitamin and mineral supplementation throughout pregnancy and during the postnatal period for both the lactating and non lactating mother. It is also useful for improving nutritional status prior to conception.

Contraindications:
This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

Storage:
Store at room temperature, USP. Dispense in a well closed light resistant container.

Safety Information:
DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

DRUG: Prenatal Vitamins Plus
GENERIC: Vitamin A, Vitamin C, Vitamin D-3, Vitamin E, Vitamin B-1, Vitamin B-2, Niacin, Vitamin B-6, Calcium, Iron, Zinc, Copper
DOSAGE: TABLET
ADMINSTRATION: ORAL
NDC: 70518-1849-0
COLOR: orange
SHAPE: OVAL
SCORE: No score
SIZE: 7 mm
IMPRINT: N150
PACKAGING: 30 in 1 BLISTER PACK

- ACTIVE INGREDIENT(S):
- CALCIUM CARBONATE 200mg in 1
 - CYANOCOBALAMIN 12ug in 1
 - FOLIC ACID 1mg in 1
 - COPPER 2mg in 1
 - FERROUS FUMARATE 27mg in 1
 - PYRIDOXINE HYDROCHLORIDE 10mg in 1
 - ZINC OXIDE 25mg in 1
 - .ALPHA.-TOCOPHEROL ACETATE 22mg in 1
 - ASCORBIC ACID 120mg in 1
 - CHOLECALCIFEROL 400[iU] in 1
 - NIACINAMIDE 20mg in 1
 - RIBOFLAVIN 3mg in 1
 - THIAMINE MONONITRATE 1.84mg in 1
 - VITAMIN A ACETATE 4000[iU] in 1

- INACTIVE INGREDIENT(S):
- ANHYDROUS DIBASIC CALCIUM PHOSPHATE
 - POLYVINYL ALCOHOL
 - STARCH, PREGELATINIZED CORN
 - POLYETHYLENE GLYCOLS
 - SILICON DIOXIDE
 - SUCROSE
 - TALC
 - CELLULOSE, MICROCRYSTALLINE
 - FD&C BLUE NO. 2
 - FD&C RED NO. 40
 - FD&C YELLOW NO. 6
 - MALTODEXTRIN
 - ACACIA
 - HYPROMELLOSES
 - TITANIUM DIOXIDE