



PRENATAL VITAMINS PLUS LOW IRON- prenatal with ferrous fum and folic acid tablet

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

PRENATAL VITAMINS PLUS LOW IRON TABLETS

DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Each Tablet Contains:	Amount Per Tablet	% Daily Value
Vitamin A (from Acetate and Beta Carotene)	4000 IU	80%
Vitamin C (Ascorbic Acid)	120 mg	200%
Vitamin D-3 (Cholecalciferol)	400 IU	100%
Vitamin E (dl-Alpha Tocopheryl Acetate)	22 mg	73%
Vitamin B-1(Thiamine Mononitrate)	1.84 mg	123%
Vitamin B-2 (Riboflavin)	3 mg	176%
Niacin (as Niacinamide)	20 mg	100%
Vitamin B-6 (Pyridoxine HCl)	10 mg	500%
Folic Acid	1 mg	200%
Vitamin B-12 (Cyanocobalamin)	12 mcg	200%
Calcium (from Calcium Carbonate)	200 mg	20%
Iron (Ferrous Fumarate)	27 mg	150%
Zinc (Zinc Oxide)	25mg	167%
Copper (Cupric Oxide)	2 mg	100%

Other Ingredients: Ascorbyl Palmitate, Citric Acid anhydrous, DL- alpha Tocopherol, Ethylcellulose, FD&C Blue #2 lake, FD&C Red #40 lake, FD&C Yellow #6 lake, Glucose, Gum Acacia, Hypromellose, Magnesium Stearate, Maize Starch, Maltodextrin, Methylcellulose, Microcrystalline Cellulose, Mineral Oil, Mono and di-glycerides, Polyethylene Glycol, Pregelatinized Corn Starch, Silicon Dioxide, Sorbic Acid, Soy Protein, Stearic Acid, Sucrose, Titanium Dioxide, Tricalcium Phosphate.

Indications: To provide Vitamin and Mineral supplementation throughout pregnancy and during the postnatal period for both the lactating and nonlactating mother. It is also useful for improving nutritional status prior to conception.

Directions: Before, during and after pregnancy, one tablet daily or as directed by a physician.

Contraindications: This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

Caution: Folic Acid may partially correct the hematological damage due to Vitamin B-12 deficiency of pernicious anemia while the associated neurological damage progresses.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under six. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. In case of accidental overdose, call a physician or Poison Control Center immediately.

Store at room temperature, USP. Dispense in a well closed light resistant container.

HOW SUPPLIED

Product: 68151-5878

NDC: 68151-5878-1 1 TABLET in a BLISTER PACK

PRENATAL VITAMINS PLUS LOW IRON (PRENATAL WITH FERROUS FUM AND FOLIC ACID) TABLET