Free of: milk or milk byproducts, egg or egg byproducts, shellfish or shellfish byproducts, tree nuts, wheat or wheat byproducts, peanuts or peanut byproducts. Gluten Free, Non-GMO

KEEP OUT OF REACH OF CHILDREN.
Caution: Before using any dietary supplement, pregnant or lactating women should consult with a obviscian or healthcare professional.

THE INFORMATION ON THIS LABEL HAS NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION.
THIS PRODUCT IS NOT INTENDED TO DIAGNOSE. TREAT CURE OR PREVENT ANY DISEASE.

Since Freedom Easy-to-Swallow Inflammation Fighters Softgels® are a concentrated source of Omega-3 Fatty Acids, Vitamin D and Curcuminoids, it is recommended to stop taking these supplements while taking Freedom Easy-to-Swallow Inflammation Fighters Softgels®

TAMPER RESISTANT - DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING. To preserve quality and freshness, keep bottle tightly closed, Store in a cool, dry place

at room temperature 15°-30°C (59°-86°F).

To report a serious adverse event or to obtain product information, contact 1-800-848-8442.

Manufactured by Ticheon Corp. Solichury MD and Weethury MV

Manufactured by: Tishcon Corp., Salisbury, MD and Westbury, NY
Manufactured in a cGMP Compliant Facility in the USA with Imported and Domestic Raw Materials.

www.freedomsoftgels.com www.easytoswallow.com
Freedom ETS Inflammation Fighters Softgels[®] is a registered trademark of Tishcon Corp.

Cavacurmin® and HTEssence® are registered trademarks of Wacker Chemie AG.

Sonova® is a registered trademark of Arcadia Bioscience. EVNo® is a registered trademark of ExceVitte.

AstaZine® is a registered trademark of BGG ALGAE Epax® is a registered trademark of Pelagia AS. Crominex®-3+, Capros® and PrimaWie® are registered trademarks of Natreon, Inc.




EVNol W



INFLAMMATION FIGHTERS

Turmeric – Omega-3 – Astaxanthin – Tocotrienols and Hydroxytyrosol



Freedom from:

- Joint Discomfort[†]
- Systemic Inflammation¹
- Muscle Soreness[†]

Anti-inflammatory claim is based on a 28-day placebocontrolled, randomized, double-blind study conducted at UCLA which showed a significant reduction of hs-CRP levels and a blunting of the increase in IL-6 level in adult subjects.

Dietary Supplement



Supplement Facts

| Servings Per Contain | ervings Per Container: 60 | |
|--------------------------|--|--|
| Amt. Per Serving | % DV* | |
| 21 | | |
| 1.3 g | 2% | |
| <5 mg | 2% | |
| 50 mcg (2000 IU) | 250% | |
| 50 mcg | 91% | |
| | 571% | |
| | | |
| 1000 mg | * * | |
| ome) (150 mg curcuminoid | ls) | |
| 850 mg | ** | |
| | | |
| | | |
| 675 mg | | |
| 25 mcg | ** | |
| 25 mcg | ** | |
| 19 mg | . * * . | |
| 25 mg | ** | |
| 12.5 mg | ** | |
| 6 mg | ** | |
| 25 mg | ** | |
| | Amt. Per Serving 21 1.3 g <5 mg 50 mcg (2000 IU) 50 mcg m 200 mcg ala Extract red Shilajit) 1000 mg (150 mg curcuminoid 850 mg 450 mg 100 mg 25 mcg 19 mg 25 mcg 19 mg 25 mcg 19 mg 25 mcg 19 mg 25 mg 6 mg 12.5 mg 6 mg | |

*Percent Daily Values are based on a 2000 calorie diet for Adults and Children 4 or more years of age.

**Daily Value (DV) not established.