

ProEnzol® Cardiovascular provides a synergistic blend of cardiotropic herbal extracts, potent antioxidants, fibrinolytic Nattokinase enzymes and bioactive nutrients including CoQ10 and L-Carnitine to promote healthy heart muscle and coronary blood vessel function.*

DIRECTIONS: Take two (2) capsules twice daily between meals or on an empty stomach, or as directed by your healthcare professional.

CAUTION: If you are pregnant, nursing, have a serious medical condition, or take any medications, consult your healthcare professional before use. Use only if tamper-evident seal is unbroken. Store tightly closed in a cool, dry place. **Keep out of reach of children.**

pHysioProtease® is a registered trademark of Enzymes Inc.



Manufactured by Enzymes Inc.
Kansas City, MO 64153 U.S.A.
1-800-637-7893 | www.proenzol.com



*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, mitigate, cure, or prevent any disease.



PROENZOL®

Cardiovascular

ENCOURAGES HEALTHY HEART MUSCLE
FUNCTION AND CORONARY BLOOD FLOW*

DIETARY SUPPLEMENT
60 VEGAN CAPSULES

EXCLUSIVELY FOR PROFESSIONALS

Supplement Facts

Serving Size: 2 Vegan Capsules

Servings Per Container: 30

Amount Per Serving	% DV
Vitamin C (from Mg Ascorbate)	240 mg 267%
Magnesium (from Mg Ascorbate)	80 mg 19%
Cardiovascular Support Blend*	800 mg **
(L-carnitine (from L-carnitine tartrate), Hawthorn (leaf & flower) extract, Garlic (bulb) concentrate, Grape (seed) extract, Coenzyme Q10, Forskohlii (root) extract)	
Therapeutic Enzyme Blend	116 mg **
(pHysioProtease® (a blend of exo and endo proteases), Nattokinase (enzyme extract from Natto) (from soy), Hemicellulase, beta-Glucanase, Phytase)	

**Daily Value (DV) not established.

Other Ingredients: plant fiber, water.

ALLERGEN WARNING: CONTAINS SOY

CONTAINS NO: sugar, wheat, yeast, gluten, peanuts, tree nuts, eggs, dairy, animal products, artificial colors, flavors and sweeteners or genetically modified organisms (GMOs).

CONTRAINDICATION

This product should only be used under the supervision of a healthcare professional if a condition associated with bleeding exists or anti-coagulant (blood thinning) medications are being taken.

PE-CVR-2

