

Enhanced Endurance and Energy*

Energizing Iron™ dietary supplement is a source of nutrients to support the body's need for iron, vitamin B12, and trace minerals. Produced from beef liver obtained from animals raised in Argentina, Energizing Iron contains no chemical sprays, pesticides, or antibiotics from livestock feed.

Compare!

- Heme iron is up to 33% more absorbable in the body than non-heme iron. In fact, non-heme forms can have as low as 2% absorbability.
- Energizing Iron contains the same benefits of heme iron found in liver, with substantially less cholesterol.
- No uncomfortable gastric side effects as can be experienced when taking non-heme iron supplements.

Recommendations: Two softgels three times daily.

If pregnant, nursing, or taking prescription drugs, consult your healthcare practitioner prior to use.

EI is an FDA-registered Drug Establishment.

Contains no yeast, wheat, gluten, corn, dairy products, artificial flavoring, or preservatives. All colors used are from natural sources.



LC05219.C04 enzy.com • 1.800.783.2286



THIS STATEMENT HAS NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

DIETARY SUPPLEMENT

Energizing Iron™

- Iron for energy and stamina*
- Maximum absorption



ENERGY

90 SOFTGELS

Supplement Facts

Serving Size 2 softgels
Servings per container 45

Amount per 2 softgels		%DV**
Calories	20	
Calories from fat	15	
Total Fat	1.5 g	2%**
Cholesterol	10 mg	3%**
Total Carbohydrate	<1 g	<1%**
Protein	2 g	4%**
Vitamin B12 (as cyanocobalamin)	200 mcg	3,333%
Iron	1.2 mg	7%
Sodium	5 mg	<1%***
Liquid Liver Fractions (predigested and concentrated)	1.1 g	

** Percent Daily Values (DV) are based on a 2,000 calorie diet.
*** Daily Value not established.

Other ingredients: soybean oil, gelatin, vegetable glycerin, beeswax, soy lecithin, and caramel color.

MANUFACTURED EXCLUSIVELY FOR ENZYMATIC THERAPY, INC.,
GREEN BAY, WI 54311 USA

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of the reach of children. In case of accidental overdose, call your physician or a Poison Control Center immediately.