

Remifemin®

ESTROGEN-FREE

MENOPAUSE RELIEF*

Clinically Proven to Reduce:

- Hot Flashes*
- Night Sweats*
- Mood Swings*

120 TABLETS
DIETARY SUPPLEMENT

*THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD & DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.



Remifemin® is a female friendly formula

No soy, propylene glycol, hormones, or artificial colors, flavors, or preservatives

Remifemin®

Clinically Proven to Reduce Menopause Symptoms:

- Hot Flashes*
- Night Sweats*
- Mood Swings*
- Irritability*
- Related Occasional Sleeplessness*

Estrogen-Free:

Ideal for women choosing not to take estrogen

Alternative to HRT:

Can be used in place of Hormone Replacement Therapy (HRT) for relieving symptoms of menopause and perimenopause*

Keep out of reach of children. Safety sealed for your protection with a tamper-evident foil pouch. Do not use if foil is punctured.

*THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD & DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.



©2020 Distributed by Nature's Way Brands, LLC (previously branded Enzymatic Therapy, LLC)
Green Bay, WI 54311 USA • Product of Germany
Questions? 1-800-9NATURE / naturesway.com

Recommendation: Take 1 tablet in the MORNING and 1 tablet in the EVENING with water. Best results with ongoing use, up to 6 months. Do not take other Cimicifuga (black cohosh) containing products concurrently.

Supplement Facts

Serving Size 1 Tablet	
Amount per Serving	% DV
RemiSure® Dry Extract equivalent to 21 mg† Black Cohosh (root/rhizome)	2.5 mg**
**Daily Value (DV) not established.	

Other ingredients: lactose monohydrate, cellulose, potato starch, magnesium stearate

Contains milk.

12.5 mg RemiSure dry extract is equivalent to 21 mg of Black Cohosh (*Cimicifuga racemosa*) root/rhizome per tablet (mean of concentration 8.5:1).

Caution: Do not take if you are allergic to any of the ingredients in this product or pregnant or nursing. Discontinue use and consult a healthcare professional if you have a liver disorder or develop symptoms of liver trouble, such as abdominal pain, dark urine, or jaundice. Consult a healthcare professional prior to use if taking prescription drugs, or if you have been treated for breast cancer or any other hormone-dependent cancer. Women of childbearing potential should consider an effective method of contraception during the use of this product. For further instructions please read the enclosed insert.



Remifemin® contains the black cohosh extract used in clinical studies



Tablet size



LBX07520.A01 BLK750A
Remifemin®, RemiSure®, "Take 1 in the Morning and 1 in the Evening" and associated butterfly logo & pill design are registered trademarks of Schaper & Brünner GmbH & Co. KG.