

## Modified Citrus Pectin

Modified citrus pectin is prepared by a proprietary process, which reduces the molecular weight of the pectin molecule. Average molecular weight: 98kD. Methoxylation: not more than 5%.

## Suggested Use

As a dietary supplement, 3 capsules one or two times daily, or as directed by a health practitioner. Best taken at least 30 minutes before, or 1.5 hours after food.

**CAUTION:** Those on a sodium-restricted diet should consult their healthcare practitioner before use.

Variations in product color may occur.  
Keep in a cool, dry place, tightly capped.



Formulated exclusively for  
Allergy Research Group®  
South Salt Lake, UT 84115  
www.allergyresearchgroup.com  
Phone: 800.545.9960



AllergyResearchGroup®

# Modified Citrus Pectin

## Reduced Molecular Weight



dietary supplement  
**HYPOALLERGENIC**  
120 vegetarian capsules

## Supplement Facts

Serving Size 3 Capsules  
Servings Per Container 40

### Amount Per Serving

Calories 6

**% Daily Value\***

Sodium 90 mg 4%

Potassium 3 mg <1%

Total Carbohydrates 1.5 g 0.5%

Dietary Fiber 1.8 g 6.4%

Total Sugars 240 mg 5%

Added Sugars 0 mg †

Modified Citrus Pectin 1.5 g †

Total Polysaccharides 1.5 g †

Galacturonic acid 975 mg †

\* Percent Daily Value based on a 2,000 calorie diet.

† Daily Value not established.

Other ingredients: Hydroxypropyl methylcellulose,  
microcrystalline cellulose, L-leucine.

Rev. 012