

Modified Citrus Pectin

Modified citrus pectin is prepared by a proprietary process, which reduces the molecular weight of the pectin molecule. Average molecular weight: 98kD. Methoxylation: not more than 5%.

Suggested Use

As a dietary supplement, 3 capsules one or two times daily, or as directed by a health practitioner. Best taken at least 30 minutes before, or 1.5 hours after food.

CAUTION: Those on a sodium-restricted diet should consult their healthcare practitioner before use.

Variations in product color may occur.
Keep in a cool, dry place, tightly capped.



Formulated exclusively
for NutriCology®
South Salt Lake, UT 84115
www.nutricology.com Phone:
800.545.9960



Modified Citrus Pectin

Reduced Molecular Weight

Hypoallergenic

Dietary Supplement

120 vegetarian capsules

Supplement Facts

Serving Size 3 Capsules
Servings Per Container 40

Amount Per Serving

Calories 6

		% Daily Value*
Sodium	90 mg	4%
Potassium	3 mg	<1%
Total Carbohydrates	1.5 g	0.5%
Dietary Fiber	1.8 g	6.4%
Total Sugars	240 mg	5%
Added Sugars	0 mg	†
Modified Citrus Pectin	1.5 g	†
Total Polysaccharides	1.5 g	†
Galacturonic acid	975 mg	†

* Percent Daily Value based on a 2,000 calorie diet.

† Daily Value not established.

Other ingredients: Hydroxypropyl methylcellulose,
microcrystalline cellulose, L-leucine.

Rev. 012