Tamper Evident: Do not use if seal is broken or missing.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of occidental overdose, call or doctor or poison

control center immediately.

DIRECTIONS: Adults: Take one tablet daily, or as prescribed by a licensed medical practitioner.

Icensed medical practitioner.

Children under 12: Consult a doctor.

STORAGE: Store at 20°-25°C
(68°-77°F); excursions permitted to
15°-30°C (59°-86°F). [See USP

15 - 30 C (59 - 86 F). [See USF Controlled Room Temperature.] Protect from light and moisture. Dispense in a hight, light-resistant container.

KEEP OUT OF REACH OF CHILDREN.

PER Supplement

30 Tablets American Manufactured for:

Allegis Pharmaceuticals, LLC Canton, MS 39046

Lactose, Gluten and Sugar Free

Supplement Facts
Serving Size: 1 Tablet Se

Amount Per Serving: 1
Vitomin A (as beto-corotone) 2100 IU

Vitamin (las ascarbir noid Vitamin D3 (as chalecolrife Vitermin E fas dl-alpho-tocophi Thiomin (Vitamin B1 as thiomin HC) Ribellavia (Vitamia 82) Nicón (as riccinamide) Vitamin B6 (as avridacine HCI) folgte for falir prid 1250 mm 313% Vitemin B12 (es cyanocobalam Iron (es carbonyl iron 30 ma lognesium (as magnesium axide) Time (ex vine evida)

M

00

OTHER MIGREDIENT'S: Conting (FIGE Blast? Lake, FIGE Readwoll Lake, FIGE Challed) Lake, FIGE Challed, Edit, Evidence Cale, Fight Charles, polyvain challed, site creation of Goode, inscreasing, concerned one sodium, magnetium snearce, microxystelline cellulose, progelentized study, allies, alliene Goode, and senatic cold.

MAKE IN CANADA.

Consend by LIS, Frances F799500. Rev 01/2016.