DIRECTIONS: 1/4 teaspoonful/1.25 ml ) by mouth daily or as directed by a physician. Shake well before each use.

DROPPER USE: Fill dropper to dose level. Dispense into the mouth with a gentle squeeze of the bulb. It is normal for a small amount of suspension to remain in the dropper. WARNINGS: Do not exceed recommended dosage. The treatment of any anemic condition should be under the advice and supervision of a physician. Since oral iron products interfere with absorption of oral tetracycline antibiotics, these

products should not be taken within two hours of

each other. Occasional gastrointestinal discomfort

(such as nausea) may be minimized by taking with meals. Iron products may occasionally cause constipation or diarrhea. If you are pregnant or nursing a baby, seek the advice of a health professional before using this product. WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6 years of age.

Keen this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

23359-012-04

Wild Cherry Flavor

Pediatric Suspension

Fach 1./4 teaspoonful (1.25 ml.) contains: 

Shake Well

DIETARY SUPPLEMENT

ENTURION 4 fl oz (118 mL)

Supplement Facts Serving Size 1/4 teaspoonful (1.25 mL) Servings Per Container about 94

Amount Per Serving Iron (as carbonyl iron) 15mg 100% 150%

Inactive Ingredients: Purified Water Glycerine. Sodium Copper Chlorophyllin, Potassium Sorbate

DO NOT ACCEPT IF SEAL UNDER CAP IS BROKEN OR MISSING

Manufactured For: Cen furion Labs. LLC. + Birmin cham. AL 35243 Questions? 1-895-999-4888 Rev 18/13

