

# HOW TO USE THE ENCLOSED DROPPER:

Fill the dropper to the first line to provide the full daily dosage. Use full dosage regardless of age or weight, unless your child's doctor recommends a different dosage. Dispense with a single squeeze of the dropper bulb. It is normal for a small amount to remain in the tip.



## Closing Tips



Drops may be given by dispensing directly into the mouth. Drops may also be mixed with formula, fruit juice, cereal or other foods to increase your child's acceptance.

Ask your child's doctor about Tri-Vi-Sol® with Iron Drops.

The product comes with a child-resistant cap. Refrigeration not required. After opening, store away from direct sunlight.

**WARNING:** Use with caution, keep out of the reach of children.



# Tri-Vi-Sol® with Iron

Essential Vitamins for Infants

## Vitamins A, C & D Supplement Drops



#1 Brand Recommended  
by Pediatricians

1 2/3 FLOZ (50 mL)



## Supplement Facts

Serving Size 1 mL Dropperful Daily

| Amount Per<br>1 mL | % Daily Value |                                  |
|--------------------|---------------|----------------------------------|
|                    | Infants       | Children<br>Under Age<br>4 Years |
| Vitamin A 1500 IU  | 100%          | 60%                              |
| Vitamin C 35 mg    | 100%          | 88%                              |
| Vitamin D 400 IU   | 100%          | 100%                             |
| Iron 10 mg         | 67%           | 100%                             |

**INGREDIENTS:** GLYCERIN, WATER, PROPYLENE GLYCOL, POLYSORBATE 80, ASCORBIC ACID, FERROUS SULFATE, NATURAL AND ARTIFICIAL FLAVOR, ARTIFICIAL CARAMEL COLOR, VITAMIN A PALMITATE, VITAMIN D<sub>3</sub>.

Distributed by:

Mead Johnson & Company, LLC

Evansville, IN 47721 U.S.A.

Made in Canada

©2009 Mead Johnson & Company, LLC

Contains no sugar.

While taking drops with iron, a slight darkening of the teeth may occur. Brushing will minimize this temporary condition.

**U** We are here for you. Call us toll free at: 1-800-BABY123, 8 AM to 4:30 PM Monday-Saturday, Central Time. Or visit our website at [www.enfamil.com](http://www.enfamil.com)

**WARNING:** Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. In case of accidental overdose, call a doctor or poison control center immediately.