



76439-331-30

Virt-C DHA

PRENATAL/POSTNATAL

**Prescription Folic Acid-Containing
Dietary Supplement
with Omega-3 Fatty Acids**

R_x
30 Softgels

Made in the USA

DESCRIPTION: Virt-C DHA is an orally administered prescription dietary supplement and should be administered under the supervision of a licensed medical practitioner.

Supplement Facts

Serving Size: 1 Softgel

	Amount Per Serving	% Daily Value for Pregnant & Lactating Women
Vitamin C*	25 mg	42%
Thiamine Mononitrate (B₁)	2 mg	118%
Riboflavin (B₂)	3 mg	150%
Niacin (B₃)*	1.8 mg	9%
Pyridoxine HCl (B₆)	25 mg	1000%
Folic Acid	1 mg	125%
Cyanocobalamin (B₁₂)	12.5 mcg	156%
Biotin (B₇)	300 mcg	100%
d-Calcium Pantothenate (B₅)	5 mg	50%
Ferrous Fumarate (anhydrous) (Equivalent to about 17.5 mg of Elemental iron)	53.5 mg [‡]	
Polysaccharide Iron Complex (Equivalent to about 17.5 mg of Elemental iron)	38 mg [†]	**194%
Magnesium (as magnesium sulfate)	5 mg	1%
Zinc (as zinc sulfate)	10 mg	67%
Copper (as copper sulfate)	2 mg	100%
Omega-3 Fatty Acids***	200 mg	†
Docosahexaenoic Acid (DHA)	156 mg	†
Eicosapentaenoic Acid (EPA)	39 mg	†

† Daily Value not established.

‡ Minimum Iron Salt content.

* Also containing Ascorbic Acid Precursors as (1) Acid Metabolites including niacinamide ascorbate, calcium ascorbate, magnesium ascorbate, potassium ascorbate and sodium ascorbate; (2) Basic Amino Acids including lysine acetate; (3) Flavonoids including hesperidin; and (4) Glutathione.

** Total Iron: Ferrous Fumarate + Polysaccharide Iron Complex.

*** At least 200 mg Omega-3 Fatty Acids derived from 310 mg fish oil.

Other Ingredients: Lecithin, Beeswax, Soybean Oil, Caramel, Capsule (Gelatin, Glycerin, Water, and Caramel). **Contains Soy and Fish Oil.**

DOSE AND ADMINISTRATION: 1 softgel daily, in between meals, or as prescribed by a licensed medical practitioner regardless of lactation status.

CAUTION: Ingestion of more than 3 grams per day of omega-3 fatty acids (ALA, EPA, and DHA) may have potential antithrombotic activities, or effects, and may increase bleeding times. Administration of omega-3 fatty acids, including DHA, should be avoided in patients with inherited or acquired bleeding diathesis, including those taking anticoagulants. Exercise caution to ensure that the prescribed dosage of DHA does not exceed 1 gram (1000 mg) per day.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

CAUTION: High levels of folic acid may, especially in older adults, hide signs of Vitamin B-12 deficiency (such as pernicious anemia), a condition that can cause nerve damage.

STORAGE: Store at controlled room temperature 20° to 25°C (68° to 77°F); excursions permitted to 15° to 30°C (59° to 86°F). Protect from light and moisture. Dispense in a tight, light-resistant container.

Call your licensed medical practitioner about side effects. You may report side effects by calling Virtus at 1-888-848-3593 or FDA at 1-800-FDA-1088.

HOW SUPPLIED: Supplied as oblong, dark black color softgel imprinted with "3355" dispensed in 30 count bottles.

Manufactured for:
Virtus Pharmaceuticals, LLC
Langhorne, PA 19047

1-888-848-3593

Rev. 07/2019

Lot:

Exp:



3

76439 33130

6