WARNINGS: If you are pregnant, nursing, or taking medication, consult your doctor before use. Use only under the advice and supervision of a physician if you have a history of jaundice, liver disease or diabetes. Abnormal liver function tests have been reported in persons taking daily doses of 500 mg or more of niacinamide. Folate intake should not exceed 250% of the Daily Value (1,000 mcg).

KEEP OUT OF THE REACH OF CHILDREN.

Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F) [See USP Controlled Room Temperature.]

Do not use if seal under cap is broken or missing.

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.

The listed product number is not a National Drug Code, but instead has merely been formatted to comply with standard industry practice for pharmacy and insurance computer systems.

75854-343-60

Nicomide[®]

Dietary Supplement



60 Tablets Rx Only DOSAGE AND ADMINISTRATION: Take 1-2 tablets daily, as a dietary supplement, as directed by your physician. Each white-colored, oval-shaped tablet is debossed with "342" on one side and blank on the other.

Supplement Facts Serving Size: 1 Tablet

Amount per serving: % Daily Value Niacinamide 750 mg Zinc (as Zinc Bisglycinate Chelate)* 27 mg 180% Folate (as (6S)-N5-Methyltetrahydrofolic 500 mca 125% Acid Calcium Salt) Copper (as Cupric Oxide) 100% 2 ma more Selenium (Selenium Amino Acid Chelate) 50 mca 71% Chromium (Chromium Amino Acid Chelate) 100 mcg 83% † Daily Value (DV) not established.

OTHER INGREDIENTS: Methocel K, Lactose Anhydrous, Silicon Dioxide,
Stearic Acid, Microcrystalline Cellulose, Magnesium Stearate, Hydroxypropyl Methylcellulose,
Triacetin, and Titanium Dioxide.

75854 34360