

SUGGESTED USE: As a dietary supplement, take 1 serving (4 capsules) daily. Do not exceed 2 servings (8 capsules) in a 24 hour period.

SUPPLEMENT FACTS

Serving Size 4 Capsules
Servings Per Container 50

	Amount Per 4 Capsules	%Daily Value
Creatine Monohydrate	3000 mg	†

†Daily Value not established.

OTHER INGREDIENTS: Hydroxypropyl Methylcellulose, Gellan Gum.

ALLERGEN STATEMENT: This product has been produced in a facility that also processes wheat, soy, eggs, peanuts, tree nuts, and milk.



*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

WARNING: Consuming this product can expose you to lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov/food.

**BUILT IN
THE USA** 
using strategically sourced domestic &
imported ingredients and components.

GLAXON™




DR. CREATINE

CREATINE IN A DELAYED RELEASE CAPSULE

50
SERVINGS

Bio-CREATINE
DIETARY SUPPLEMENT
- 200 CAPSULES -



DR. CREATINE is the first form of creatine in a delayed-release capsule. This means less stomach irritation, no creatinine conversion, and full absorption in the small intestine. DR.CREATINE eliminates all the negative aspects of creatine supplementation simply by bypassing the stomach.* Get improved bioavailability and better gains without the stress or metabolic by-products with DR. CREATINE!*

DESIGNED TO STACK WITH:

Plasm Surge®
Xeno Amino
Specimen
Alpha 365



Made With Real Science™

© @HMLAXON • GLAXON • SUPPLEMENT LAB

WWW.GLAXON.COM

WARNING: THIS PRODUCT IS ONLY INTENDED TO BE CONSUMED BY HEALTHY ADULTS, 18 YEARS OF AGE OR OLDER. Do not use if you are pregnant or nursing. Do not take this product before first consulting a licensed, qualified, health care professional if you are taking any other dietary supplement, prescription drug or over-the-counter medication; or if, you suspect you have or have been treated for, diagnosed with or have a family history of, any medical condition. Discontinue use 2 weeks prior to surgery. Immediately discontinue use and contact a medical doctor if you experience any adverse reaction to this product. Do not use if the safety seal is broken or missing. Store in a cool dry place. KEEP OUT OF REACH OF CHILDREN.

DC 200C USv11

MANUFACTURED FOR
GLAXON
12503 Exchange Dr. Ste. 520
Stafford, TX 77477
1-844-493-7632

