

THE OBJECTIVE:

BRING BACK THE REAL YOU - THE ONE WHO NEVER RUNS OUT OF ENERGY, THE ONE WHO NEVER QUILTS AND IS ALWAYS READY TO GO. GET OFF THE SIDELINES AND BACK INTO THE GAME. TAKE BACK CONTROL WITH BOOM STICK.*



BOOM STICK® SUGGESTED USE:

FOR BEST RESULTS, TAKE (10) CAPSULES DAILY WITH FOOD. SERVINGS MAY BE SPACED EQUALLY THROUGHOUT THE DAY.

*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.



After 8 consecutive weeks of use it is recommended to discontinue use for 2-4 weeks.

TESTOSTERONE SUPPORT*

REDCON1

30 SERVINGS

BOOM STICK®

HERE COMES THE BOOM

TESTOSTERONE SUPPORT*



DIETARY SUPPLEMENT
300 CAPSULES

★ IMPROVE ENERGY & DRIVE* ★ LEAN MUSCLE* ★ TESTOSTERONE SUPPORT*

Supplement Facts

Serving Size: 10 Capsules
Servings Per Container: 30

	Amount Per Serv.	% Daily Value
Calories	10	
Total Carbohydrate	1g	<1%**
Vitamin D (as Cholecalciferol)	80mcg	400%
Magnesium (as Magnesium Aspartate)	100mg	24%
Zinc (as Zinc Aspartate)	30mg	273%
D-Aspartic Acid	3120mg	†
Ashwaghandha Root Extract (std. to 2.5% withanolides)	1000mg	†
Tribulus terrestris Fruit Extract	750mg	†
Fenugreek Seed Extract	600mg	†
Diindolylmethane (DIM)	250mg	†
Stinging Nettle Root Extract	175mg	†

**Percent Daily Values are based on a 2,000 calorie diet.

†Daily Value not established.

Other Ingredients: Gelatin (Capsules), Gum Acacia, Magnesium Stearate.

Distributed by: Redcon1, LLC 701 Park of Commerce Blvd., Suite 101
Boca Raton, FL 33487 TEL: 1(855) 733-2661

WARNING: This product is intended to be consumed by healthy adults 18 years of age or older. Do not use if you are pregnant, nursing, taking any prescription or over-the-counter medications or supplements, or if you have or suspect you may have a medical condition, including but not limited to: high or low blood pressure, cardiac arrhythmia, stroke, heart, liver or kidney disease, seizure disorder, thyroid disease, psychiatric disease, diabetes, prostate enlargement or if you are taking a MAO inhibitor. Do not use if you are prone to dehydration or exposed to excessive heat. As with any dietary supplement, consult a healthcare professional before using this product. Discontinue 2 weeks prior to surgery. Immediately discontinue use and consult a healthcare professional if you experience any adverse reactions. KEEP OUT OF REACH OF CHILDREN.

STORE AT 59-86°F (15-30°C). PROTECT FROM LIGHT AND MOISTURE.



V.1.1



WWW.REDCON1.COM