

SUCCESTED USE Assess your tolerance by taking 1 small scoop (A93) with 8+10 ozof coldwater and consume 20+30 minutes prior to training. For advanced users and those looking to maximize energy, pumps and focus you may use 1 large scoop (9.83). Do not exceed 1 large scoop in any 24-hour period. To avoid sleeplessness, do not take within 4 hours of bedding.

Supplement Facts

Serving Size: Small Scoop (4.9 Grams)/Large Scoop (9.8 Grams)

	Small Scoop (4.9 Grams)	%DV*	(9.8 Grams)	%DV
Vitamin B3 (Niacin)	10mg	62.5%	20mg	125%
Pump & Strength Matrix	2975mg		6950mg	
Beta Alanine	1600mg	**	3200mg	
Betaine Anhydrous	1000mg	**	2000mg	
Arginine Silicate Inositol (Nitrosigine®)	375mg		750mg	•
Energy & Focus & Absorption Matrix	892mg		1784mg	
L-Tyrosine	375mg	**	750mg	
Caffeine Blend (Caffeine Anhydrous 375 mg,	2000 00000000	25000	3009070	
& Infinergy® (Dicaffeine Malate) 50 mg)	212.5mg	**	425mg	
N-Palmitoylethanolamide	200mg	**	400mg	
L-Dopa (Mucuna Pruriens Seed Extract)	50mg	**	100mg	
L-Theanine	50mg	**	100mg	
Black Pepper (Piper Nigrum) (fruit) Extract (Bioperine	2.5mg	**	5mg	*
Yohimbine HCI	2mg	**	4mg	
Huperzine A	25mcg	**	50mcg	

Other Ingredients: Othio Acid, Malio Acid, Natural & Artificial Flavor, Sucralose, Acesulfame Potassium, Silicon dioxide & Natural Color.



Address:

4198 Northwest 132nd Street Opa Locka Florida 33054, USA

Hours: Monday - Friday 9am - 5:00pm (EST)

Dragon Pharma. All Rights Reserved. © 2022.

This product is intended for healthy adults 18 years of age or older. Consult a physician before using this or any other dietary supplement. Do not take this product if you are pregnant or nursing, if you have or suspect you may have a medical condition, or if you are taking any prescription or over-the-counter medications. Do not exceed recommended serving. Exceeding recommended serving may cause adverse health effects. This product contains 427mg of caffeine, the equivalent of approximately 4 cups of coffee, and may not be suitable for individuals sensitive to caffeine's effects. Too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally rapid heartbeat. Immediately discontinue use and consult a qualified medical professional if you experience any adverse effects. KEEP OUT OF REACH OF CHILDREN.