# inxsports.com

Supercharge your body's fat burning engine with the unworldly power of **The Ripper!**, the Fat Burner designed for hardcore users only. Feel The Ripper! go to work after the very first dose. The Ripper! is the Ultimate Fat Burner. This is what it feels like to be plugged into lightning!\*

#### @invsnorts | #invsnorts | #therings

MANNO: Always assess your tolerance with a single scoop. This product is only intended to be consumed shally soluls it years of age or older. Not for use by those with pre-existing medical conditions or those shall not be used to be used to

#### KEEP OUT OF REACH OF CHILDREN.

Store in a cool, dry place. Contents sold by weight not volume. See bottom of container for "best before" date. Produced on equipment that also processes peanuts, tree nuts, milk, egg, wheat, shellfish, fish, soy.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnost treat, cure, or prevent any disease.

Cobra Labs Limited, 10685-B Hazelhurst Dr. # 11786, Houston, TX 77043 USA











# Supplement Facts

Servings per container: 30 Serving size: 1 scoop (5g)

## Amount Per Serving % Daily Value

Vitamin C (as Ascorbic Acid) 45mg50%Vitamin B12 (as Methylcobalamin) 25mcg1042%

Pantothenic Acid (as Calcium Pantothenate) 4mg 80%

Chromium (as Chromium Picolinate) 100mcg

#### Extreme Muscle Fuel 2051mg

Beta-Alanine, Guarana Seed Extract (47% caffeine), Raspberry Ketones,
Caffeine Anhydrous

## Ripper Shred Matrix 1106mg

RIPPET SHIED WATTIX LLUGITIG Taurine, Acetyl L-Carnitine HCI, Green Coffee Bean Extract, Green Tea Leaf Extract, Cinnamon B<u>ark Extract, Olive Leaf Extract</u> (40% Oleuropein)

† Daily Value not established.

Other Ingredients: Natural & Artificial Flavor, Malic Acid, Tartaric Acid, Citric Acid, Silicon Dioxide, Calcium Silicate, Sucralose, Acesulfame Potassium, Beet Root Powder (Color).

#### ections:

Mix I scoop with 6-8 oz (180-250mL) of cold water. Take 110 2 times daily. For best results, take 30-60 minutes before meals with the first serving before breakfast and the second serving later in the day. Use in conjunction with a reduced calorie diet and exercise program. Do not exceed 2 servings per day.

Use only as directed.

PL-TRSSR190406

