

Mega-Zyme® is formulated to help relieve occasional muscle soreness and discomfort due to overexertion and exercise.\* When taken with food, Mega-Zyme supports digestion and helps protect against occasional bloating and digestive discomfort.\*

**Recommendation:** To relieve occasional muscle soreness and discomfort due to overexertion and exercise\*, adults take 2 tablets two to three times a day between meals. To support optimal digestion\*, take 2 tablets up to three times a day, before each meal. Not formulated for children. **Caution:** If you are pregnant, nursing, have diabetes or if you are taking any medications, consult a healthcare professional before use.

**Keep out of reach of children.** Safety sealed with inner seal. Do not use if seal is broken or missing. Keep tightly closed. Store at room temperature. Avoid excessive heat and direct sunlight.

No yeast-derived ingredients or artificial colors.

©2022 Nature's Way Brands, LLC  
Green Bay, WI 54311 USA

Questions? 1-800-9NATURE / [naturesway.com](http://naturesway.com)

◆ LS04250.F01 BLK425F



\*THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.



# Mega-Zyme®

**Systemic Enzymes\***

**Pancreatic Enzymes**

**200 TABLETS**

**DIETARY SUPPLEMENT**

**DIGESTIVE & SYSTEMIC ENZYMES\***

## Supplement Facts

Serving Size 2 Tablets / Servings per Container 100

| Amount per Serving     | % DV       |      |
|------------------------|------------|------|
| Total Carbohydrate     | <1 g       | <1%† |
| Pancreatic enzymes     | 361 mg     | **   |
| USP units of activity: |            |      |
| Amylase                | 81,250 USP |      |
| Protease               | 81,250 USP |      |
| Lipase                 | 6,500 USP  |      |
| Trypsin                | 75 mg      | **   |
| Papain                 | 50 mg      | **   |
| Bromelain              | 16 mg      | **   |
| Amylase                | 10 mg      | **   |
| Lipase                 | 10 mg      | **   |
| Lysozyme               | 10 mg      | **   |
| Chymotrypsin           | 2 mg       | **   |

†Percent Daily Values (DV) are based on a 2,000 calorie diet.

\*\*Daily Value not established.

Other ingredients: cellulose, potassium bicarbonate, lactose monohydrate, stearic acid, hypromellose, sodium croscarmellose, magnesium stearate, glycerin, silica. Contains milk and egg.