60 ma





**90 TABLETS** 

Amount Per Serving		
Calories	10	
Total Carbohydrate	10	
Dietary Fiber	- 19	
vitamin E (as vitamin E succinate)	100 IU	
Vitamin B-6 (as pyridoxine HCI)	25 mg	
Pantothenic Acid (as calcium p-pantothenate)	50 mg	
cinc (as OptiZinc® monomethionine)	15 mg	
Selenium (as L-selenomethionine & sodium selenite)	150 mcg	
Copper (as copper sehacate)	1 mg	
Sodium '	10 mg	
Tribulus Fruit Extract	500 mg	
Yielding 200 mg Saponins		
Maca Root	300 mg	
pimedium Aerial Parts Extract (10% flavonoids as ican	iin) 300 mg	
Arginine (as L-arginine pyroplutamate) .	300 mg	
Shwagandha Root Extract (5:1)	250 mg	
onimbe Bark Extract	225 mg	
Yielding 9 mg Yohimbines		
Risan Ginseng Root Extract	210 mg	
rivena sativa (pat) Tone Extract	200 mg	
Varniana Leaf	200 mg	
Saw Palmetto Berry	200 mg	
Sarsapanilla Root	200 mg	
Eleuthero Root Extract (5:1)	200 mg	

		0
_	%DV	0 0
ny.	7001	1
10		H
g	<1%"	0
g	4%"	
IU	333%	C
ng 10 1g 1g 1U ng ng ng ng	1,250%	N to e
ng	500%	ti
ng	100%	e
00	214%	D
na	50%	n
ng	<1%	8
nn	. †	V
-	To A	3
no	<1%" 4%" 333% 1,250% 500% 100% 214% 50%  † † † † † †	on a war a p ti n s tr s o K
ng ng ng	1	ti
nn	t	n
00	1	5
ng	+	1
y		2
0.0	+	0
ng	+	K
ng,	-	F
ng ng ng ng		
10		Ш
19		L
-	-	

Daily Value not established ther ingredients: sorbitol, stearic acid, modified cellulose gum, and slica ontains soy. IALE RESPONSE™ invigorates the sexual response while helping support the health of the prostate gland, revitalizing energy ler-, and nourishing the adrenals. \* frections: 1 to 3 tablets with a meal, up to 5 tablets per day. Do t exceed 5 tablets per day. Best if taken daily for 10 weeks with week break before resuming. ARNING: Contains yohimbine. Do not use this product if you are risk of or are being treated for high blood pressure, heart or ostate conditions, kidney disease or any other medical condion. Not for use in geriatric or psychiatric patients or children. Do of use with antidepressants. Consult your health care profesional if you are taking any prescription drug. If nervousness. emors, irritability, or dizziness occur, discontinue use and conult your health care professional. o not use if either tamper-evident seal is broken or missing eep out of the reach of children. Drug Administration. This product is not intended to diagnosi reat, cure or prevent any disease.

Yielding 14 mg Ginkgo Flavoneglycosides tinging Nettle Root Extract (10:1)

inkgo Leaf Extract

hese statements have not been evaluated by the Food and

SN1156 REV A121-G (49)