DIRECTIONS: Take 1 mL daily with food or as directed by a healthcare professional Do not exceed recommended amounts.

- . Keep out of reach of children.
- · Protect from heat, light and moisture.
- . Shake prior to use,
- Refrigerate after opening.

WARNINGS: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children, in case of accidental overdose, call a doctor or poison control center immediately.

An anemic condition should be treated under the advice and supervision of a physician.

Since oral iron products interfere with absorption of oral tetracycline antibiotics, these products should not be taken within 2 hours of each other, Iron-containing supplements may occasionally cause bowel effects such as constipation or diarrhea.

Distributed by: Windmill Health Products® 10 Henderson Drive, West Caldwell, NJ 07006











2 FL OZ (60 mL) DIETARY SUPPLEMENT

†These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

Supplement Facts Servings Size: 1 mL (0.034 fL oz.)

	Amount Per Serving	% Dully Value Intants through 12 Manths	% Duily Volum Children 1 through 3 Years	% Dodly Volum Adults & Children >4 Years
ron	10 mg	91%	143%	56%

Other ingredients: Purified water, xylitol, d-alpha-tocopheryl polyethylene glycol 1000 succinate, citric acid, natural flavors, sodium benzoate (to preserve freshness), and potassium sorbate (to preserve freshness),

NO

Sugar, Wheat, Milk. Artificial Colors or Flavors



310K5850601 Rem# 095ND