

Shaklee®

# Omega-3 Gellys™

STRAWBERRY LEMONADE



**EPA + DHA chewable Gellys for the whole family.**

Great-tasting, sugar free, and readily absorbed. Promotes brain, heart, eye, joint, immune, and skin health.\*

**30**  
GELLYS

**300 mg**  
EPA+DHA PER GELLY

*Dr Shaklee*

NET WT. 1.6 OZ. (45 g)  
0.05 OZ. (1.5 g) EACH

DIETARY SUPPLEMENT

XD843A

## Give Your Body What Every Body Needs

At every age and every stage, the body requires omega-3s to operate optimally. This potent formula contains pure EPA + DHA to help support:

- Developing & Aging Brains\*
- Heart Health\*
- Eye Health\*
- Joint Health\*
- Healthy Immune Systems\*
- Skin Health\*

**+**  
Sustainably sourced and no fishy aftertaste

### Superior Delivery with 3x More DHA + EPA†

Developed by Norwegian scientists, this revolutionary technology uses emulsified droplets to mirror the distribution of nutrients in food, leading to improved digestion and absorption of omega-3s.\*

\*Per Gelly compared to other leading Gummies



**NON  
GMO**

**GF  
GLUTEN  
FREE**

**SOY  
FREE**

**DAIRY  
FREE**

**ZERO  
SUGAR**

**NO Artificial Flavors or Preservatives**

### Supplement Facts

Serving Size: 1 or 2 Gellys  
Servings Per Container: 30

	Kids (4-18)		Adults (18+)	
	1 Gelly	% DV	2 Gellys	% DV
Calories	5		10	
Total Fat	0.5 g	<1%**	1 g	1%**
Total Omega-3 Fatty Acids	335 mg	†	670 mg	†
DHA (Docosahexaenoic Acid)	250 mg	†	500 mg	†
EPA (Eicosapentaenoic Acid)	50 mg	†	100 mg	†

\*\*Percent Daily Values (DV) are based on a 2,000 calorie diet.

†Daily Value not established.

**Directions:** Kids take 1 daily with food. Adults take 2 daily with food.

**Other Ingredients:** Fish Oil Concentrate, Xylitol, Purified Water, Sorbitol, Gelatin, Natural Flavors, Trisodium Citrate, Citric Acid, Beta-Carotene for color.

Distributed by Shaklee Corporation  
4747 Willow Rd, Pleasanton, CA 94588  
Product questions: 925.734.3638

Manufactured in a facility that may also process tree nuts, milk, egg, soy, wheat, shellfish, and fish.

**CAUTION:** If taking blood-thinning medications, consult your physician prior to use. Discontinue use two weeks before surgery.

\*THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.