

MULTI-PHASE Technology

LIPO-6X is a powerful fat burner using a superior MULTI-PHASE technology. MULTI-PHASE technology combines rapid liquid capsule delivery with extended-release inside capsule technology. What this means is that LIPO-6X is a fat burner that has multiple release phases, both fast and extended†:



Phase #1 Rapid Release Liquid Capsule:

The outer liquid capsule of LIPO-6X ensures a rapid uptake of its appetite-suppressing, fat-burning and energy-promoting ingredients. Within minutes of taking LIPO-6X you will feel it working.†

Phase #2 Extended-Release Inside Capsule:

LIPO-6X continues to work over an extended period of time thanks to the slower release second capsule that sits inside the liquid capsule. Due to its delayed absorption the inside capsule extends the amount of time LIPO-6X is active.†

LIPO-6X offers speed and duration. A rapid onset of its fat-burning and energy-promoting effects, combined with an extended-release, will help ensure maximum results.†



Use your smart phone to scan this QR code and see real consumer reviews about this product. Or visit Nutrex.com



Nutrex
RESEARCH

MULTI-PHASE TECHNOLOGY



BURN FAT FAST!†

Dietary Supplement
240 Multi-Phase Capsules

SUPPLEMENT FACTS

Serving Size: 2 Multi-Phase Capsules Servings Per Container: 120

	Amount per serving	% Daily Value
Phase #1 Rapid Release Liquid Delivery Blend	806mg	
Glycerin		*
Purified USP Water		*
Caffeine Anhydrous	200mg	*
Synthetic Thermogenesis Activating Complex	100mg	*
B-Phenylethylamine		*
N-Methyl-B-Phenylethylamine		*
Tyramine		*
Hordenine		*
Synephrine	20mg	*
Synthetic Guggulsterones Z&E 1:1	20mg	*
Yohimbine	3mg	*

* Daily Value not established.

OTHER INGREDIENTS: Polysorbate 80, Vegetable Cellulose, FD&C Blue #2.

**** This product utilizes only natural vegetable capsules that are free of animal products.**

suggested cycle length is 8 weeks followed by a 1 week break.

WARNING: LIPO-6X is not for use by persons under the age of 18. Do not use if pregnant or nursing. Do not exceed recommended dosage. Do not consume synephrine, caffeine or thyroid-boosting compounds from other sources, including but not limited to, coffee, tea, soda and other dietary supplements or medications containing phenylephrine or caffeine. This product contains caffeine. LIPO-6X is best taken in cycles. The suggested cycle length is 8 weeks followed by a 1 week break. Consult your physician prior to use if you are taking medication, including but not limited to, MAOI inhibitors, anti-depressants, aspirin, non-steroidal anti-inflammatory drugs or products containing phenylephrine, ephedrine, pseudoephedrine, or other stimulants. Consult your physician prior to use if you have a medical condition, including but not limited to, heart, liver, kidney or thyroid disease, psychiatric disorders, difficulty urinating, diabetes, high blood pressure, cardiac arrhythmia, recurrent headaches, enlarged prostate or glaucoma. Discontinue 2 weeks prior to surgery. Immediately discontinue if you experience rapid heart beat, dizziness, severe headaches or shortness of breath. This product contains ingredients that may be banned by some sports organizations. **KEEP OUT OF REACH OF CHILDREN.**

† These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Actual capsules may differ in appearance from capsule shown on label.

Developed by & Manufactured Exclusively for:

Nutrex Research, Inc.

Oviedo, FL 32765 • Nutrex.com • 1-888-3NUTREX

RECOMMENDED USE TO BURN FAT

FAST: Start off with only 2 multi-phase capsules on your first two days (1 in the morning and 1 in the afternoon) and increase dosage by 1 multi-phase capsule every two days until maximum dosage of 4 multi-phase capsules per day is reached. From here on take 2 multi-phase capsules in the morning and an additional 2 multi-phase capsules in the afternoon. **DO NOT EXCEED 4 MULTI-PHASE CAPSULES PER DAY.** Do not take within 6 hours of sleep.

For optimum results LIPO-6X should not be taken with meals. Consume at least 30 minutes before a meal. LIPO-6X is best used in cycles. The