

SIMPLY FORMULATED TO DELIVER MORE.

The Benefits Line™ is designed for power.
Each formula offers clinically relevant levels of
evidence-based nutrients to provide more with less.

Keep out of reach of children. Store in a cool, dry place.



Lycobeads® is a registered trademark of LycorEd Ltd.
Meriva® & Phytosome More Bioavailable® are registered trademarks
of Indena SpA, Italy.
BroccoPhane® is a registered trademark of Cyvex Nutrition, Inc.

*This statement has not been evaluated by the Food and Drug Administration.
This product is not intended to diagnose, treat, cure or prevent any disease.

Distributed by DaVinci® Laboratories of Vermont
a division of FoodScience® LLC
929 Harvest Lane
Williston, VT 05495 USA
www.davincilabs.com
To obtain product information or report a
serious adverse event, call 1-800-325-1776.



020032F030

DaVinci® BENEFITS LINE™

PHYTO BENEFITS™

*A Phytonutrient Supplement
for Antioxidant Protection**

VEGETARIAN / GLUTEN FREE / SOY FREE

30 CAPSULES

Suggested Use: As a dietary supplement, adults take one capsule
daily, or as recommended by your healthcare practitioner.

Supplement Facts

Serving Size 1 Capsule
Servings Per Container 30

Amount Per Serving	% Daily Value
BroccoPhane® Broccoli (<i>Brassica oleracea</i>) Sprout Powder 100 mg *	(standardized to 4,000 ppm Sulforaphane)
Green Tea (<i>Camellia sinensis</i> L.) Leaf Extract 100 mg	(Standardized to 70% EGCG)
Meriva® (<i>Curcuma longa</i> root extract/ Phosphatidylcholine complex) 100 mg	
Pomegranate (<i>Punica granatum</i>) Fruit Extract 100 mg	(Standardized to 40% Punicosides)
Quercetin Dihydrate 100 mg	
Lycobeads® natural tomato extract 50 mg	containing [5%] 2.5 mg Natural Lycopene
Polygonum cuspidatum Root Extract 50 mg	(Standardized to 50% trans-resveratrol)

*Daily Value not established.

Other ingredients: hypromellose (capsule), microcrystalline
cellulose, vegetarian leucine.

Color of this product may vary due to color variations of the ingredients.

Warning: If pregnant or nursing, consult your
healthcare practitioner before taking this product.

Caution: Discontinue use 2 weeks prior to surgery.

0222B