

DIETARY SUPPLEMENT

NIALIPIN is well tolerated by sensitive individuals. Hypersensitive individuals are advised to start with one tablet prior to increasing dosage. Each sustained-release tablet is designed to release niacin over a period of 6 to 8 hours. Do not cut tablets in half.

DIRECTIONS

Take one tablet daily, or as directed by a physician.

Do not take niacin unless recommended by and taken under the supervision of a physician if you have any of the following conditions: gallbladder disease, gout, arterial bleeding, glaucoma, diabetes, impaired liver function, peptic ulcer, or if you are pregnant or lactating.



Manufactured Exclusively For:
CARDIOVASCULAR RESEARCH, LTD.
1061-B Shary Circle, Concord, CA 94518
1-800-888-4585

Cardiovascular
Research
Ltd.

NIALIPIN

400 mg

Sustained-Release Niacin

Dietary Supplement

60 TABLETS

Supplement Facts

Serving Size: 1 Tablet

Servings Per Container: 60

	Amount Per Serving	% Daily*
Niacin (as nicotinic acid)	400 mg	2500%

*Percent Daily Values are Based on a 2,000 Calorie Diet.

**Daily Value Not Established.

Other Ingredients: Microcrystalline Cellulose, Hydroxypropylmethylcellulose, Stearic Acid, L-Leucine, Silicon Dioxide, Ethylcellulose, Food Glaze.

Gluten free, Casein free

This product has not been evaluated by the FDA. This product is not intended to diagnose, cure, treat or prevent any disease.

