Wobenzym[®] PS

Suggested Usage: Take three (3) tablets, two (2) times daily, at least 45 minutes before meals or as recommended by your healthcare professional.

Warning: If you are pregnant or breast feeding. suffer from bleeding disorders or liver damage. or if you are taking anticoagulant drugs (such as warfarin), consult a healthcare professional before using this product.

Store in a cool dry place. KEEP OUT OF REACH OF CHILDREN.



Manufactured by: MUCOS Pharma GmbH & Co. KG. Made in Berlin, Germany. Distributed by: Mucos USA 600 Boyce Road Pittsburgh, PA 15205 USA www.wobenzvm-usa.com

Formula #200870 • WOB01-100





Helps to maintain healthy joints, mobility and flexibility Relief from everyday aches, pains, and muscle soreness[†] Speeds recovery following exertion[†]



Supplement Facts Amount Per Serving

Bromelain** 1.350 FIP-units*** 270 ma Ananas comosus Rutoside trihydrate (Rutin) 300 ma Sophora iaponica Trypsin** 4.320 FIP-units 144 ma (pancreas) Sus scrofa/Bos taurus

Serving Size 3 Tablets • Servings per Container 33

%DV

*Daily Value not established. **From dried purified aqueous extracts.

***FIP is the measurement of enzyme activity according to the methods of the International Pharmaceutical Federation. Other Ingredients: Microcrystalline cellulose, calcium phosphate,

hydroxypropyl cellulose, vegetable-based enteric-coating, vegetable stearate, silica, natural vanilla flavor. This product does not contain milk/dairy, corn, yeast, gluten, soy, sugar, artificial coloring or preservatives.

†This statement has not been evaluated by the Food and Drug Administration. This product is not intended to

diagnose, treat, cure or prevent any disease.

100 Tablets **Enteric-Coated**

Highly Active Enzyme Formula