



Ultra Vite 75™

A Dietary Supplement



**Douglas
Laboratories®**

90 Tablets

Supplement Facts

Serving Size 1 tablet • Servings Per Container 90

Amount Per Serving	%DV
Vitamin A (50% as Palmitate/50% as Beta-Carotene [7,500 IU])... 15,000 IU	300%
Vitamin C (Ascorbic Acid) 250 mg	417%
Vitamin D-3 400 IU	100%
Vitamin E 150 IU	500%
Thiamine (Vitamin B-1) 75 mg	5,000%
Riboflavin (Vitamin B-2) 75 mg	4,412%
Niacinamide 75 mg	375%
Vitamin B-6 75 mg	3,750%
Folic Acid 400 mcg	100%
Vitamin B-12 75 mcg	1,250%
Pantothenic Acid 75 mg	750%
(as Calcium Pantothenate)	
Biotin 75 mcg	25%
Calcium (from Calcium AAC†/Carbonate complex) 50 mg	5%
Iron (from Iron AAC†) 10 mg	56%
Iodine 150 mcg	100%
(from Potassium Iodide)	
Magnesium (from Magnesium AAC†/Oxide complex) 7.7 mg	2%

Amount Per Serving	%DV
Zinc (from Zinc AAC†/Oxide complex) 15 mg	100%
Selenium (from Selenium Krebs††) .. 25 mcg	36%
Copper (from Copper AAC†) 0.25 mg	13%
Manganese (from Manganese AAC†/Sulfate Complex) 6.1 mg	305%
Chromium (from Chromium AAC†) ... 10 mcg	8%
Potassium 10 mg	<1%
(from AAC†/chloride complex)	
Choline 35 mg	*
(from 75 mg Choline Bitartrate)	
Inositol 75 mg	*
PABA (para-Aminobenzoic Acid) 75 mg	*
Rutin 25 mg	*
Citrus Bioflavonoid Complex 25 mg	*
Betaine (from 25 mg Betaine HCl) 19 mg	*
Glutamic Acid 25 mg	*
Hesperidin Complex 5 mg	*

*Daily Value not established.

Other ingredients: Cellulose, vegetable stearate and silica.

†AAC = Amino Acid Chelate

†Krebs = Citrate, Fumarate, Malate, Glutarate and Succinate Complex.

Manufactured by:
Douglas Laboratories
Pittsburgh, PA 15205
www.douglaslabs.com

This product contains NO yeast, wheat gluten, soy protein, milk/dairy, corn, sodium, sugar, starch, artificial coloring, preservatives or flavoring.

Suggested Usage:

As a dietary supplement, adults take 1 tablet daily with a meal or as directed by physician.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6.

KEEP OUT OF REACH OF CHILDREN.

In case of accidental overdose, call a doctor or poison control center immediately.

For optimal storage conditions, store in a cool, dry place. (59°-77°F/15°-25°C) (35-65% relative humidity) Tamper resistant package, do not use if outer seal is missing.

Formula #7921

