ProSupps is dedicated to making your weight loss goals a success!

SUPPLEMENT FACTS

Serving Size: 1 Capsule

Servings Per Container: 108		
Amount	Per Serving	% Daily Value
Calcium (as Calcium Pyruvate)	8mg	<29
Fat Burning Matrix	305mg	*
Caffeine Anhydrous		
Caffeine Citrate		
Green Tea Leaf Extract (std. min. 60% EGCG)	- /	/ /
Dicaffeine Malate (Infinergy™)	6.9	
Raspberry Ketones		
Calcium Pyruvate	2.7	A
Advantra Zº Citrus Aurantium Fruit E	xtract (std. min. 60% Syneph	rine)
Hordenine HCI		
Sulbutiamine	- 100	
Euphoric Matrix	89mg	*
Rhodiola Rosea root extract		

Rhodiola Rosea root extra

ALA (Alpha Lipoic Acid)

Pikatropin (Picamilon) R-Beta-Methylphenylethylamine

5 HTP (5-Hydroxy L-Tryptophan)

N-Methyl-B-Methylphenylethylamine HCI

Huperzia serrata Club Moss Extract (std. min. 1% Huperzine A)

Appetite Control Matrix

Dandelion Root Extract

Yohimbe Bark Extract

Rauwolfia Vomitoria Root Extract (std. min. 90% Alpha Yohimbine)

*Daily Value not Established

Other Ingredients: Gelatin, Maltodextrin, Silica, Magnesium Stearate and Titanium Dioxide SUGGESTED USE: Consult with your physician prior to using this product. As a dietary supplement, begin by taking one serving (1 capsule) in the morning on an empty stomach and one serving (1 capsule) 5-6 hours later in the mid-afternoon to assess tolerance. Do NOT Exceed 2 Capsules in a 24 hour period.

29mg

Synephrine Warning: Do not consume synephrine or caffeine from other sources, including but not limited to, coffee, tea, soda and other dietary supplements or medications containing phenylephrine or caffeine. Contains caffeine. Do not use for more than 8 weeks. Consult with your physician prior to use if you are pregnant or nursing, or if you are taking medication, including but not limited to MAOI inhibitors, antidepressants, aspirin, nonsteroidal anti-inflammatory drugs or products containing phylephrine, ephedrine, pseudoephedrine, or other stimulants. Consult your physician prior to use if you have a medical condition, including but not limited to, heart, liver, kidney, or thyroid disease, psychiatric or epileptic disorders, difficulty urinating, diabetes, high blood pressure, cardiac arrhythmia, recurrent headaches, enlarged prostate or glaucoma. Discontinue 2 weeks prior to surgery or if you experience rapid heart beat, dizziness, severe headache or shortness of breath.

Huperzine Warning: Consult with your physician prior to use if you are pregnant or nursing, have high blood pressure or heart problems, or are taking prescription drugs.

These statements have not been evaluated by the Food and Drug Administration.

This product is not intended to diagnose, treat, cure, or prevent any disease.

* Advantra Z® is a registered trademark of Nutratech Inc.















