**Amount Per Serving** 

50 mg

425.5 mg Caffeine Anhydrous (275 mg), Amla (Phyllanthus emblica)(Fruit) Extract, Beta Phenylethylamine HCl 99%, Hordenine, Rev PEA™ (Tri Phenyl Ethylamine Boost), Synephrine HCl, Dendrobium Nobile Extract ((Stem) Concentrated for Dendrobium), Theobromine, Yohimbine HCI (17a-Hydroxy-Yohimban-

16a-Carboxylic Acid Methyl Ester), Alpha Yohimbine (Rauwolscine)

Water Shred Blend: 175 ma Taraxacum officianales (Dandelion Root) Extract 4:1 (100%). Arctostaphylos pincuica (Uva Ursi Leaf Powder), Commiphora mukul

Gugulipid® Extract (Standardized to 2.5% Guggulsterones), L-Carnitine Neuro Recovery Blend: 50 ma

Chinese Licorice (Root), Glycyrrhiza glabra frish, Ashwagandha (Root) Withania somnifera, Rhodiola rosea (Root) 4:1 Extract

Amino Fit Blend: Glutamine, Leucine, Isoleucine, Valine

Delivery Agent: BioPerine® 2 mg

Percent Daily Value (DV) is based on a 2.000 calorie diet. † Daily Value (DV) is not established

Other Ingredients: Gelatin, Magnesium Stearate, FD&C Blue 1, FD&C Red 40, FD&C Yellow 5, FD&C Yellow 6, Titanium Dioxide

BioPerine® is registered trademark and patented product of Sabinsa Corporation

Mfd. Exclusively for NDS Nutrition Products, Inc. | A Div. of Bond Laboratories, Inc. 4509 South 143rd Street, Suite 1 | Omaha, NE 68137 | www.ndsnutrition.com CONCE

SUGGESTED USE: Take 1 capsule daily, preferably with meals and 6-8 oz. water. To avoid sleeplessness, avoid taking within 6 hours of bedtime. To e used as part of a healthy lifestyle consisting of regular physical activity and

WARNING: KEEP OUT OF REACH OF CHILDREN. For use by Healthy Individuals only. Not for use by those under the age of 18. Do not exceed recommended dose. Do not use if you are pregnant or nursing. Before consuming seek advice from a health care professional if you are unaware of your current health condition. Do not consume synephrine or caffeine from other sources, including but not limited to, coffee, tea, soda and other dietary supplements or medications containing phenylephrine or caffeine. Contains caffeine. Do not use for more than 8 weeks. Consult with your physician prior to use if you are taking medication, including but not limited to MAOI inhibitors, antidepressants, aspirin, nonsteroidal antiinflammatory drugs or products containing phylephrine, ephedrine pseudoephedrine, or other stimulants. Consult your physician prior to us if you have a medical condition, including but not limited to, heart, liv kidney, or thyroid disease, psychiatric or epileptic disorders, difficulty urinating, diabetes, high or low blood pressure, cardiac arrhythmia, recurrent headaches, enlarged prostate or glaucoma. Do not use if you are prone to dehydration or exposed to excessive heat. Discontinue use weeks prior to surgery or if you experience rapid heart beat, dizzine severe headache or shortness of breath. Do not use if tamper resistant sea is broken STORE IN A COOL DRY PLACE, AVOID EXCESSIVE HEAT.



