## Bariatric Advantage



<sup>Chewable</sup> High ADEK Multi

with Iron



Tropical Fruit artificially flavored

Dietary Supplement 1 TABLET

SAMPLE - NOT FOR INDIVIDUAL SALE

## Supplement Facts erving Size 1 Chewable Tablet

ervings Per Container 1	
mount Per Serving	% Daily Val
alories5	
otal Carbohydrate	<1%*
tamin A (as retinyl acetate and beta-carotene) 2.250 mcg.	250%
itamin C (as sodium ascorbate and ascorbic acid)	100%
itamin D (as cholecalciferol)	313%
tamin E (as DL-alpha tocopheryl acetate)	150%
itamin K (as phytonadione USP) 200 mcg.	167%
hiamin (as thiamin mononitrate) 6 mg	.500%
boflavin	131%
lacin (as niacinamide)20 mg_	125%
itamin B <sub>c</sub> (as pyridoxine HCI) 2 mg	118%
olate (as calcium L-5-methyltetrahydrofolate 680 mcg DFE.	170%
and folic acid) (160 mon folic acid)	
itamin B <sub>12</sub> (as cyanocobalamin) 500 mcg.	20.833%
infin 200 men	1.000%
antothenic Acid (as calcium D-pantothenate)	200%
on (as ferrous furnarate)	125%
	2%
inc (as zinc oxide) 15 mg	136%
elenium (as selenomethionine)	127%
	167%
lannanese (as mannanese citrate) 2.3 mn	100%

ercent Daily Values are based on a 2,000 calorie diet.

rer Ingredients: Microcrystalline cellulose, sorbitol, destrese with stodestrin, mono and diglycerides, erythritol, natural and artificial flavors, choligosacharides, fructose, citric acid, stearic acid (vegetable), magnem stearate (vegetable), silicon dioxide, sucralose (a non-nutritive sweeten

MANUFACTURED FOR: BARIATRIC ADVANTA A DIVISION OF METAGENICS. INC.

300.898.6888 • BariatricAdvanta

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poisonal participation in products of the control participation of SUGGESTED USE: Sample serving size. For recommended dosage, please consult with

dosage, please consult with your healthcare practitioner. Chew or crush tablet completely before swallowing. Do not swallow tablet whole.

Inis product is gluten-free.

WARNING: Do not use if pregnant or nursing. Excess vitamin A intake may increase the risk of birth defects. Pregnant women or women who may become pregnant should not exceed 3,000 mcg.

CAUTION: If you have had gastric surgery and experienc persistent nausea, vomiting, diarrhea or other symptoms, contact your healthcare practitioner.

TAMPER EVIDENT: Do not use if package is torn or open.

STORAGE: Keep closed in a cool, dry place.

1542805A1 ADEKTFSA