REDOMMENDED DOSE (Adults ≥ 18 years): As a dietary supplement, take one sering (z tablets) of APEX-TXS with 80z of water and food 2 times daily. Wait s to 4 hours between each dose. This product is intended to be used along with a cabric modes diet and regular exercises program. Do not take within 5 hours of sien.

MISSED DOSE: If you miss a dose, take the next as recommended. Do not double the next dose.

CAUTION: READ ENTIRE LABEL PRIOR TO USE. This product is not intended for pregnant or nursing mothers, women trying to become pregnant, children under the age of 18, or individuals taking prescription drugs. Consult a physician before using this product if you have, or have a family history of, including but not limited to phenylketonuria, high blood pressure, cardiac arrhythmias, heart, liver, kidney, thyroid, or psychiatric disease, pheochromocytoma, diabetes, asthma, recurrent headaches, anemia, nervousness, anxiety, depression or other psychiatric condition, peptic ulcers, Parkinson's disease, glaucoma, difficulty in urinating prostate enlargement, or seizure disorder, or if you are using any other dietary supplement or over-the-counter drug containing ephedrine, pseudo-ephedrine, or phenylpropanolamine (ingredients found in certain allergy, asthma, cough or cold and weight control products). Do not use this product if you are using a monoamine oxidase inhibitor (MAOI), anticoaquiant or antiplatelet medications, or any other prescription drug. Discontinue use and call a physician or licensed qualified health care professional immediately if you experience rapid heartheat diziness, severe headache, shortness of breath, or other similar symptoms haviduals who consume caffeine with this product may experience serious adverse health effects and those that are sensitive to the effects of caffeine should consult a physician before consuming this product. Improper use of this product may be hazardous to a person's health, KEEP OUT OF REACH OF CHILDREN.

Streunder normal storage conditions (dry, well-ventilated premises at 15°-30°C (59°-88°F). Avoid direct light, Keep tightly closed.

Do not use if seal under cap is torn, broken or missing.



Supplement Facts

Serving Size: 2 Tablets Servings Per Container: 60

Amount Per Serving

%DV

APEX-TX5 COMPLEX

Acetyl-L-Camitine HCl, Caffeine, Beta Phenylethylamine HCl,
L-Tyrosine, Theobromine

"Daily Value (DV) not established.

Other Ingredients: Microcrystalline Cellulose, Stearic Acid, Disaldium Plosphale, Croscarmellose Sodium, Sugar, Magnesium Stearate, Silico Dioxide, Com Starch, Pharmaceutical Glaze (Shellac, Povidone), FDACRed #40, and FD&C Blue #1.

†Sustained weight management may only be achieved through the combination of a calorie-reduced diet and a regular exercise program.*

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

Manufactured for: Intechra Health, Inc.

Bellingham, WA 98225 • (855) 226-9242 • IntechraHealth.com

