Suggested Use: As a dietary supplement, mix one scoop of Intra Blast into 12-16 ounces of cold water and sip throughout each training session of the day. Intra Blast can be consumed before training, between meals, while training, and post workout to boost your amino acid intake.

VEGETARIAN | GLUTEN FREE | NON-GMO | LACTOSE FREE

No Excipients, No Fillers, No Artificial Color, No Preservatives.







twa Quality and/or the KQ logo are trademarks of Kyowa Hakko Bio Co., Ltd. Albion" and Calci-K" are trademarks of Albion

arning: KEEP OUT OF REACH OF CHILDREN. This product is only intended to be consumed healthy adults 18 years of age or older. Do not use if you are pregnant, breast feeding, have own medical conditions (including but not limited to kidney, heart or liver disease) or are king prescription or OTC medication(s). Consult with your health care practitioner before ing this product. Do not use as a sole source of nutrition for weight loss or maintenance. scontinue use two weeks prior to surgery.

Manufactured by: NutraBio Labs, Inc.

564 Lincoln Blvd., Middlesex, NJ 08846 / www.nutrabio.com / info@nutrabio.com (732-748-8606)







30 SERVINGS

Natural & Artificial Flavoring Dietary Supplement Net Wt. 1.51 lb (683 g)



20G AMINOS

10**G**

ซ

250	Serving size: 1 s Servings per cor	Calories Total Carbohydr	Phosphorus (as and sodium pho Magnesium (as A	Sodium (as sodiu Potassium (as Alb Muscle Growf	BCAAs (7.2 g L-Leucine & L-Isoleucine	L-Lysine HCI L-Threonine	DL-Phenylalar DL-Methionins L-Tryptophan	Strength & Pe Betaine Anhy	Electrolyte & Taurine (HPLC) Calci-K*** (as A Sodium Phosi
PRI	ODUCT IS S SCOOP I	SOLD BY W	EIGHT NOT STORE IN A	VOLUME COOL DR	SOME SET Y PLACE.	TLING OF	CONTEN	TS MAY HA	VE OCCURRED.

CA PROP 65 WARNING: This product may expose you to chemicals including lead known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

IThese statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose.



