



30-Day Cycle

Use Days 1-15



1-ANDRO
Liquid

Supplement Facts

Serving Size: 1 ml
Servings Per Container: 60

Amt Per Serving	%DV
1-Andro Proprietary Blend	110 mg *
1-Androstene-3b-ol,17-one	
Hydroxypropyl-beta-cyclodextrin	

*Daily Value not established

Other Ingredients: Citric Acid, Sucralose, EDTA, Potassium Sorbate, Potassium Benzoate, natural and artificial flavoring.

Use Days 16-30



Epi-1-Test
Liquid

Supplement Facts

Serving Size: 1 ml
Servings Per Container: 60

Amt Per Serving	%DV
Proprietary Mass Formula	128.75 mg *
1-Androstene-3b-ol,17-one	
5a-androstan-3b-ol-17-one	
Hydroxypropyl-beta-cyclodextrin	

*Daily Value not established

Other Ingredients: Citric Acid, Sucralose, EDTA, Potassium Sorbate, Potassium Benzoate, natural and artificial flavoring.

Recommended Use: As a dietary supplement, take 4 doses per day of 1-Andro Liquid for the first 15 days and 4 doses per day of Epi-1-Test Liquid for the remaining 15 days of the 30 day cycle - orally, hold for 30 seconds, then swallow. Use each product in divided doses 4 hours apart. Shake well before using.